

## Product datasheet for **RC219839L3V**

### FAK (PTK2) (NM\_153831) Human Tagged ORF Clone Lentiviral Particle

#### Product data:

Product Type:	Lentiviral Particles
Product Name:	FAK (PTK2) (NM_153831) Human Tagged ORF Clone Lentiviral Particle
Symbol:	FAK
Synonyms:	FADK; FADK 1; FAK; FAK1; FRNK; p125FAK; pp125FAK; PPP1R71
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_153831
ORF Size:	3165 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC219839).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<a href="#">NM_153831.2</a>
RefSeq Size:	4453 bp
RefSeq ORF:	3159 bp
Locus ID:	5747
UniProt ID:	<a href="#">Q05397</a>
Cytogenetics:	8q24.3
Domains:	B41, pkinase, TyrKc, S_TKc, Focal_AT
Protein Families:	Druggable Genome, Protein Kinase



[View online »](#)

<b>Protein Pathways:</b>	Axon guidance, Chemokine signaling pathway, ErbB signaling pathway, Focal adhesion, Leukocyte transendothelial migration, Pathways in cancer, Regulation of actin cytoskeleton, Small cell lung cancer, VEGF signaling pathway
<b>MW:</b>	119.1 kDa
<b>Gene Summary:</b>	This gene encodes a cytoplasmic protein tyrosine kinase which is found concentrated in the focal adhesions that form between cells growing in the presence of extracellular matrix constituents. The encoded protein is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Activation of this gene may be an important early step in cell growth and intracellular signal transduction pathways triggered in response to certain neural peptides or to cell interactions with the extracellular matrix. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jun 2017]