

## Product datasheet for RC219841

### EIF4G1 (NM\_198241) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	EIF4G1 (NM_198241) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	EIF4G1
Synonyms:	EIF-4G1; EIF4F; EIF4G; EIF4GI; P220; PARK18
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC219841 representing NM_198241 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAACAAAGCTCCACAGTCCACAGGCCCCACCCGCCCATCCCCGGACTCCACAGCCAGCGTTTC  
CCCCGGGGCAGACAGCGCGGTGGTGTTTCAGTACGCCACAAGCGACACAATGAACACGCCTTCTCAGCC  
CCGCCAGCACTTCTACCTAGCCGGGCCAGCCCCGAGCAGTGCAGCCTCCCGAGTGCAGAGTGCAGCC  
CCTGCCCGCCCTGGCCAGCTGCCATGTCTACCTGCTGGATCCCAAGTAATGATGATCCCTTCCCAGA  
TCTCTACCCAGCCTCCAGGGGCTACTACATCCCTGGACAGGGGCGTCCACATACGTTGTCCCAGC  
ACAGCAGTACCCTGTGCAGCCAGGAGCCCCAGGCTTCTATCCAGGTGCAAGCCCTACAGAATTTGGGACC  
TACGCTGGCGCCTACTATCCAGCCCAAGGGGTGCAGCAGTTTCCCACTGGCGTGGCCCCGCCCCAGTTT  
TGATGAACCAGCCACCCAGATTGCTCCCAAGAGGGAGCGTAAGACGATCCGAATTCGAGATCCAAACCA  
AGGAGGAAAGGATATCACAGAGGAGATCATGTCTGGGGCCCGCACTGCCTCCACACCCACCCCTCCCCAG  
ACGGGAGGCGGTCTGGAGCCTCAAGTAATGGGGAGACGCCCCAGGTTGCTGTCAATTGTCCGGCCAGATG  
ACCGGTACAGGGAGCAATCATTGCTGACCGGCCAGGGCTGCCTGGCCAGAGCATAGCCCTTCAAGATC  
CCAGCCTTCGTCGCTTCTCCGACCCCATCACCATCCCCAGTCTTGAACCGGGTCTGAGCCTAATCTC  
GCAGTCTCTCTATTCTGGGGACACTATGACAACATAACAATGTCTGTAGAAGATCAACCCCATCT  
CCCGTAAACTGGGGAGCCATATCGCCTCTCTCCAGAACCCACTCTCTCGCCGAACCCATACTGGAAGT  
AGAAGTGACACTTAGCAACCGGTTCCAGAATCTGAGTTTTCTTCCAGTCTCTCCAGGCTCCACCCCT  
TTGGCATCTCACACAGTGGAAATTCATGAGCCTAATGGCATGGTCCCATCTGAAGATCTGGAACAGAGG  
TGGAGTCAAGCCAGAGCTTGTCTCTCCCCAGCTTGGCCCTCCGAATCCCTGTGCCATTGTCTCAAC  
TGCCCAACCTGAGGAAGTCTCAACGGAGCCCCCTCGCCACCAGCTGTGGACTTAAGCCAGTCACTGAG  
CCAGAGGAGCAGGCCAAGGAGGTGACAGCATCAATGGCGCCCCCACCATCCCTCTGCTACTCCAGCTA  
CGGCTCCTCAGCTACTCCCCAGCTCAGGAGGAGAAATGGAAGAAGAAGAAGAAGAGGAAGAAGGAGA  
AGCAGGAGAAGCAGGAGAAGCTGAGAGTGAGAAAGGAGGAGGAACTGCTCCCCCAGAGAGTACCCT




[View online >](#)

ATTCAGCCAACCTGTCTCAGAATTTGGAGGCAGCAGCAGCCACTCAAGTGGCAGTATCTGTGCCAAAGA  
 GGAGACGGAAAATTAAGGAGCTAAATAAGAAGGAGGCTGTTGGAGACCTTCTGGATGCCTTCAAGGAGGC  
 GAACCCGGCAGTACCAGAGGTGGAAAATCAGCCTCCTGCAGGCAGCAATCCAGGCCCAGAGTCTGAGGGC  
 AGTGGTGTGCCCCACGTCTGAGGAAGCAGATGAGACCTGGGACTCAAAGGAAGACAAAATTCACAATG  
 CTGAGAACATCCAGCCCAGGGAACAGAAGTATGAATAAAGTCAAGTCAAGTCAAGTCAAGTCAAGTCAAGT  
 GGAGAAAAACGTTACGACCGTGAGTTCCTGCTGGTTTTTCAGTTCATCTTTGCCAGTATGCAGAAGCCA  
 GAGGGATTGCCACATATCAGTGACGTGGTCTGGACAAGGCCAATAAAACACCCTGCGGCCACTGGATC  
 CCACTAGACTACAAGGCATAAATTTGGGCCAGACTTCACTCCATCCTTTGCCAAACCTTGGCCGGACAAC  
 CCTTAGCACCCGTGGGCCCCCAAGGGTGGGCCAGGTGGGGAGCTGCCCGTGGGCCGGCTGGCCTGGGA  
 CCCCAGGCTCTCAGCAGGGACCCGAAAAGAACCACGCAAGATCATTGCCACAGTGTTAATGACCGAAG  
 ATATAAACTGAACAAAGCAGAGAAAGCCTGGAACCCAGCAGCAAGCGGACGGCGGCTGATAAGGATCG  
 AGGGGAAGAAGATGCTGATGGCAGCAAAACCCAGGACCTATCCGAGGGTGGCTCCATCTGAATAAA  
 CTGACACCCAGATGTTCCAGCAGCTGATGAAGCAAGTACGACAGCTGGCCATCGACACCCAGGAACGCC  
 TCAAAGGGGTCAATGACCTCATTTTTGAGAAGGCCATTTAGAGCCCAACTTCTCTGTGGCTATGCCAA  
 CATGTGCCGCTGCCTCATGGCGTGAAAGTGCCCACTACGAAAAGCCAACAGTACTGTGAACCTCCGA  
 AAGCTGTTGTTGAATCGATGTCAGAAGGAGTTTGAGAAAAGACAAAGATGATGATGAGTTTTTGAGAAGA  
 AGCAAAAAGAGATGGATGAAGCTGTACGGCAGAGGAACGAGGACGCCTGAAGGAAGAGCTGGAAGAGGC  
 TCGGGACATAGCCCGGCGGCTCTTTAGGGAATATCAAGTTTATTGGAGAGTTGTTCAAACCTGAAGATG  
 TTAACAGAGGCAATAATGCATGACTGTGTGGTCAAACCTGCTTAAGAACCATGATGAAGAGTCCCTTGAGT  
 GCCTTTGTCTGCTGCTCACCCACCTGGCAAAGACCTGGACTTTGAAAAGCCAAGCCCCGATGGATCA  
 GTATTTCAACCAGATGGAAAAATCATTAAAGAAAAGAAGACGTATCCCGCATCCGCTTATGCTGCAG  
 GACGTCTGGATCTGCGAGGGAGCAATTTGGTGCACGCCGAGGGGATCAGGGTCCCAAGACCATTGACC  
 AGATCCATAAGGAGGCTGAGATGGAAGAACATCGAGAGCACATCAAAGTGCAGCAGCTCATGGCCAAAGGG  
 CAGTGACAAGCGTCGGGGCGGCTCCTCAGGCCCTCCCATCAGCCGTGGACTTCCCCTTGTGGATGATGGT  
 GGCTGGAACACAGTTCATCAGCAAAGGTAGCCGCCCAATTGACACCTCAGACTCACCAAGATACCA  
 AGCCTGGCTCCATCGATTCTAACCAACAGCTCTTTGCACCTGGAGGGCGACTGAGCTGGGCAAGGGCAG  
 CAGCGGAGGCTCAGGAGCCAAGCCCTCAGACGCAGCATCAGAAGCTGCTCGCCAGCTACTAGTACTTTG  
 AATCGCTTCTCAGCCCTCAACAAGCGGTACCCACAGAAAGCACAGATAATAGACGTGTGGTGCAGAGGA  
 GTAGCTTGAGCCGAGAACGAGGCGAGAAAGCTGGAGACCGAGGAGACCGCTAGAGCGGAGTGAACGGGG  
 AGGGGACCGTGGGACCGGCTTGATCGTGCAGGACACCTGCTACCAAGCGGAGCTTCAAGCAAGGAAGT  
 GAGGAGCGGAGTAGAGAACGGCCCTCCAGCCTGAGGGGCTGCGCAAGGCAGCTAGCCTCACGGAGGATC  
 GGGACCGTGGGCGGATGCCGTGAAGCGAGAAGCTGCCCTACCCCAAGTGAAGCCCTGAAGGGCGCTCT  
 CTCTGAGGAGGAGTTAGAGAAGAAATCCAAGGCTATCATTGAGGAATATCTCCATCTCAATGACATGAAA  
 GAGGCAGTCCAGTGCCTGAGGAGCTGGCCTCACCCCTCTTGTCTTCTTGTACGGCATGGTGTGCG  
 AGTCTACGCTGGAGCGCAGTGCCATTGCTGCTGAGCATAATGGGGCAGTCTGCACCAGCTGCTCTGTGC  
 TGGGCATCTGTCTACTGCTCAGTACTACCAAGGGTTGTATGAAATCTTGGAAATGGCTGAGGACATGGAA  
 ATTGACATCCCCACGTGTGGCTCTACCTAGCGGAAGTGGTAACCCCATCTGCAGGAAGTGGGGTGC  
 CCATGGGGGAGCTGTTCAAGGAGATTACAAAGCCTCTGAGACCGTTGGGCAAAGCTGTTCCCTGTTGCT  
 GGAGTCTGGGCTCCTGTGCAAAAGCATGGTCTTAAAAAGTGGGGACGCTGTGGCGAGAAGCCGGG  
 CTTAGCTGGAAGGAATTTCTACCTGAAGGCCAGGACATTGGTGCATTCTGCTGCTGAACAGAAGGTGGAGT  
 ATACCCTGGGAGAGGAGTCGGAAGCCCTGGCCAGAGGGCACTCCCTCCGAGGAGCTGAACAGGCAGCT  
 GGAGAAGCTGCTGAAGGAGGGCAGCAGTAACCAGCGGGTGTTCGACTGGATAGAGGCCAACCTGAGTGA  
 CAGCAGATAGTATCCAACACGTTAGTTCGAGCCCTCATGACGGCTGTCTGCTATTCTGCAATATTTTTG  
 AGACTCCCCTCCGAGTGGACGTTGACGTGCTGAAAGCGCAGCGAAGCTGCTGCAGAAATACCTGTGTGA  
 CGAGCAGAAGGAGCTACAGGCGCTACGCCCTCAGGCCCTTGTAGTACCTTAGAACAGCCTCCCAAC  
 CTGCTGCGGATGTTCTTTGACGCACTGTATGACGAGGACGTGGTGAAGGAGGATGCCTTCTACAGTTGGG  
 AGAGTAGCAAGGACCCCGCTGAGCAGCAGGGCAAGGGTGTGGCCCTTAAATCTGTACAGCCTTCTTCAA  
 GTGGCTCCGTGAAGCAGAGGAGGAGTCTGACCACAAC


ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA




<b>ORF Size:</b>	4797 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_198241.2</a> , <a href="#">NP_937884.1</a>
<b>RefSeq Size:</b>	5463 bp
<b>RefSeq ORF:</b>	4800 bp
<b>Locus ID:</b>	1981
<b>UniProt ID:</b>	<a href="#">Q04637</a>
<b>Cytogenetics:</b>	3q27.1
<b>Protein Pathways:</b>	Viral myocarditis
<b>MW:</b>	175.3 kDa
<b>Gene Summary:</b>	The protein encoded by this gene is a component of the multi-subunit protein complex EIF4F. This complex facilitates the recruitment of mRNA to the ribosome, which is a rate-limiting step during the initiation phase of protein synthesis. The recognition of the mRNA cap and the ATP-dependent unwinding of 5'-terminal secondary structure is catalyzed by factors in this complex. The subunit encoded by this gene is a large scaffolding protein that contains binding sites for other members of the EIF4F complex. A domain at its N-terminus can also interact with the poly(A)-binding protein, which may mediate the circularization of mRNA during translation. Alternative splicing results in multiple transcript variants, some of which are derived from alternative promoter usage. [provided by RefSeq, Aug 2010]

**Product images:**


Circular map for RC219841



Western blot validation of overexpression lysate (Cat# [LY404962]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC219841 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified EIF4G1 protein (Cat# [TP319841]). The protein was produced from HEK293T cells transfected with EIF4G1 cDNA clone (Cat# RC219841) using MegaTran 2.0 (Cat# [TT210002]).