

Product datasheet for RC220031L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL16 (NM 004513) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: IL16 (NM_004513) Human Tagged ORF Clone Lentiviral Particle

Symbol:

LCF; NIL16; prIL-16; PRIL16 Synonyms:

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK NM 004513 ACCN:

ORF Size: 1893 bp

ORF Nucleotide

OTI Disclaimer:

Sequence:

The ORF insert of this clone is exactly the same as(RC220031).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 004513.3

RefSeq Size: 6193 bp RefSeq ORF: 1896 bp Locus ID: 3603 **UniProt ID:** Q14005

Cytogenetics: 15q25.1

Domains: PDZ

Protein Families: Druggable Genome, Secreted Protein





ORÏGENE

MW: 66.5 kDa

Gene Summary: The protein encoded by this gene is a pleiotropic cytokine that functions as a

chemoattractant, a modulator of T cell activation, and an inhibitor of HIV replication. The signaling process of this cytokine is mediated by CD4. The product of this gene undergoes proteolytic processing, which is found to yield two functional proteins. The cytokine function is exclusively attributed to the secreted C-terminal peptide, while the N-terminal product may play a role in cell cycle control. Caspase 3 is reported to be involved in the proteolytic

processing of this protein. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Feb 2010]