

## Product datasheet for **RC220043**

### HS6ST2 (NM\_001077188) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	HS6ST2 (NM_001077188) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	HS6ST2
Synonyms:	MRXSPM
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC220043 representing NM\_001077188  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**GCGATCGCC**

ATGGCACTGCCTGCGTGTGCAGTCCGGGAGTTCGAGCCGCGCGCAACCGAGCGAGGAGCGCCCGTCC  
 GCACCACCTGTCCCGCCGGCATTCCAGAGTAGAGGCCGAATTGGCAGCGAGCCGGCCCGGTTCGGTTCGC  
 CGCCTCAGTTCGCGCGGGCCCTCTAGGGTGTGTCTCACGGATTCCACACCCGGCCGCTCTGGACAAG  
 CCCCAGAAAGCGTCTTCTCCCTGGCGGGAGCCGCGTGCGCCCGCTTTTCGCGTGTCTGCCGGGCC  
 GCCGCAGGCGGATGCACGTCTCAGGCGACGCTGGGACCTGGGCTCCCTCTGCCGGGCCCTGCTCACTCG  
 GGGCTGGCCGCCCTGGCCACTCGCTGAAGCACGTGCTCGTGCGATCTTCTCCAAGATTTTCGGCCCC  
 ATGGCCAGCGTCGGGAACATGGATGAGAAATCCAACAAGCTGCTGCTAGCTTTGGTGTGCTCTTCTAT  
 TTGCCGTGATCGTCTCAATACGTGTGCCCGGCACAGAATGCCAGCTCCTCCGCTGCAGGCGTTCAG  
 CTCCCCGTGCCGACCCGTACCGCTCGGAGGATGAGAGCTCCGCCAGGTTTCGTGCCCGCTACAATTT  
 ACCCGCGCGACCTCCTGCGCAAGGTAGACTTCGACATCAAGGGCGATGACCTGATCGTGTCTCTGCACA  
 TCCAGAAGACCGGGGCCACCACTTTTCGGCCGCCACTTGGTGCCTAACATCCAGCTGGAGCAGCCGTGCGA  
 GTGCCCGTGGGTGAGAAGAAATGCACTTGCCACCGGCCGGTAAGCGGGAAACCTGGCTCTTCTCCAGG  
 TTCTCCACGGGTGGAGCTGCGGGTTCACGCGGACTGGACCGAGCTCACCAGCTGTGTGCCCTCCGTGG  
 TGGACGGCAAGCGCGACGCCAGGCTGAGACCGTCCAGTGGAGGATTTTTCAGATTCTAGATGCAGCAAG  
 TAAGGATAAACGGGGTCTCAAACACTAACGCAGGCGCAACTCTCCGTATCCACAAAGACCCGGAAC  
 ACATCTAAGAGTGGGAAGAACTTCCACTACATCACCATCCTCCGAGACCCAGTGTCCCGTACTTGAGTG  
 AGTGGAGGCATGTCCAGAGAGGGCAACATGAAAGCATCCCTGCATGTCTGCGATGGAAGGCCCTCAAC  
 CTCCGAAGAGCTGCCAGCTGTACACTGGCGATGACTGGTCTGGCTGCCCCCTCAAAGAGTTTATGGAC  
 TGTCCTACAATCTAGCCAACAACCGCCAGGTGCGCATGCTCTCCGACCTGACCTGGTAGGCTGTACA  
 ACCTCTGTGCATGCCTGAAAAGCAAAGAAACAAGGTCTTCTGGAAAGTCCAAGTCAAATCTGAAGCA  
 CATGGCGTCTTTCGGCCTCACTGAGTTTCAGCGGAAGACCCAATATCTGTTTGAGAAAACCTTCAACATG  
 AACTTTATTTTCGCCATTTACCCAGTATAATACCACTAGGGCTCTAGTGTAGAGATCAATGAGGAAATTC  
 AAAAGCGTATTGAGGGACTGAATTTCTGGATATGGAGTTGTACAGCTATGCCAAAGACCTTTTTTTGCA  
 GAGGTATCAGTTTATGAGGCAGAAAGAGCATCAGGAGGCCAGGCCGAAAGCGTCAGGAACAACGCAATTT  
 CTGAAGGGAAGGCTCCTTCAGACCCATTTCCAGAGCCAGGTCAGGGCCAGAGCCAGAATCCGAATCAGA  
 ATCAGAGTCAGAACCAATCCGAATGCCAATCAGAACCTGACTCAGAATCTGATGCAGAAATCTGACTCA  
 GAGTTTGAAGCAGAAAGGAGAACCGGAAAGCCGAAAGCAGAACTCAGGCAAGGAGCAGAATGATAACACC  
 AGCAATGGCACCACGACTACATAGGCAGTGTAGAGAAATGGCGT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC220043 representing NM\_001077188  
Red=Cloning site Green=Tags(s)

MALPACAVREFEPPRQPERGAPVRTTCPRRHSRVEAELASRPGSVAASVRAGPPRGVSHGFHTRPLLDK  
 PRKASSSLAGAACAPLFAALLSRGRRRRMHVLRWRDLGSLCRALLTRGLAALGHSCLKHVLGAIFFSKIFGP  
 MASVGNMDEKSNKLLALLVMLFLFAVIVLQYVCPGTECQLRLQAFSSPVPDPYRSEDESSARFVPRYNF  
 TRGDLLRKVDFDIKDDLIVFLHIQKTGGTTFGRHLVRNIQLEQPCECRVGQKKCTCHRPKRETWLF SR  
 FSTGWSCGLHADWTELTSCVPSVVDGKRDRALRPSRWRIFQILDAAASKDKRGPNTNAGANSPSSKTRN  
 TSKSGKNFHYITILRDPVSRYLSEWRHVQRGATWKASLVCDGRPPTSEELPSCYTGDDWSGCPLEKFM  
 CPYNLANNRQVRMLSDLTLVGCYNLSVMPEKQRNKVLLLESAKSNLKHMAFFGLTEFQRKTQYLFEKTFNM  
 NFISPFTQYNTTRASSVEINEEIQKRIEGLNFLDMELYSYAKDLFLQRYQFMRQKEHQEARRKRQEQRKF  
 LKGRLLQTHFQSQGQSQNPQNQSQNPQPANQNLTQNLMQNLQSLSQKENRESPKQNSGKEQNDNT  
 SNGTNDYIGSVEKWR



TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk8071\\_c07.zip](https://cdn.origene.com/chromatograms/mk8071_c07.zip)

**Restriction Sites:** Sgfl-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shutting:



**ACCN:** NM\_001077188

**ORF Size:** 1935 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001077188.2](#)

**RefSeq Size:** 4576 bp

**RefSeq ORF:** 1938 bp

**Locus ID:** 90161

**UniProt ID:** [Q96MM7](#)

**Cytogenetics:** Xq26.2


**Protein Families:** Transmembrane

**Protein Pathways:** Heparan sulfate biosynthesis

**MW:** 73.2 kDa

**Gene Summary:** Heparan sulfate proteoglycans are ubiquitous components of the cell surface, extracellular matrix, and basement membranes, and interact with various ligands to influence cell growth, differentiation, adhesion, and migration. This gene encodes a member of the heparan sulfate (HS) sulfotransferase gene family, which catalyze the transfer of sulfate to HS. Different family members and isoforms are thought to synthesize heparan sulfates with tissue-specific structures and functions. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC220043