

Product datasheet for RC220146

ZC3H12D (NM_207360) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ZC3H12D (NM_207360) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ZC3H12D
Synonyms:	C6orf95; dj281H8.1; MCP4; p34; TFL
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF


ACCN:	NM_207360
ORF Size:	1581 bp



[View online >](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_207360.3
RefSeq Size:	4907 bp
RefSeq ORF:	1584 bp
Locus ID:	340152
UniProt ID:	A2A288
Cytogenetics:	6q25.1
MW:	58.1 kDa
Gene Summary:	May regulate cell growth likely by suppressing RB1 phosphorylation (PubMed:19531561). May function as RNase and regulate the levels of target RNA species (Potential). In association with ZC3H12A enhances the degradation of interleukin IL-6 mRNA level in activated macrophages (PubMed:26134560). Serve as a tumor suppressor in certain leukemia cells (PubMed:17210687). Overexpression inhibits the G1 to S phase progression through suppression of RB1 phosphorylation (PubMed:19531561).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC220146