

Product datasheet for RC220227L4

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

WHSC1 (NM_007331) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: WHSC1 (NM_007331) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: WHSC1

Synonyms: KMT3F; KMT3G; MMSET; REIIBP; TRX5; WHS; WHSC1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC220227).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_007331

ORF Size: 1887 bp



WHSC1 (NM_007331) Human Tagged Lenti ORF Clone - RC220227L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 007331.1</u>, <u>NP 015627.1</u>

 RefSeq Size:
 5172 bp

 RefSeq ORF:
 1890 bp

 Locus ID:
 7468

 UniProt ID:
 096028

Domains: PWWP, HMG

Cytogenetics:

Protein Families: Druggable Genome, Transcription Factors

4p16.3

Protein Pathways: Lysine degradation

MW: 69.2 kDa

Gene Summary: This gene encodes a protein that contains four domains present in other developmental


proteins: a PWWP domain, an HMG box, a SET domain, and a PHD-type zinc finger. It is expressed ubiquitously in early development. Wolf-Hirschhorn syndrome (WHS) is a malformation syndrome associated with a hemizygous deletion of the distal short arm of chromosome 4. This gene maps to the 165 kb WHS critical region and has also been involved in the chromosomal translocation t(4;14)(p16.3;q32.3) in multiple myelomas. Alternative splicing of this gene results in multiple transcript variants encoding different isoforms. Some

transcript variants are nonsense-mediated mRNA (NMD) decay candidates, hence not

represented as reference sequences. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC220227L4