

Product datasheet for RC220256L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DENN (MADD) (NM_130475) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: DENN (MADD) (NM_130475) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: DENN

Synonyms: DEEAH; DENN; IG20; NEDDISH; RAB3GEP; RabGEF

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC220256).

Sgfl-RsrII

Sequence:


ce:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf I ORF Rsr II

GGG ATC GC ATG ---//--- NNN AG CGGA CCG ---




^{*} The last codon before the Stop codon of the ORF.





Plasmid Map:



ACCN: NM_130475 **ORF Size:** 4743 bp

OTI Disclaimer: The molecular sequence of this clone ali

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 130475.2</u>, <u>NP 569831.1</u>

RefSeq Size: 5985 bp **RefSeq ORF:** 4746 bp



DENN (MADD) (NM_130475) Human Tagged Lenti ORF Clone - RC220256L4

Locus ID: 8567

UniProt ID: Q8WXG6

Cytogenetics: 11p11.2

Protein Families: Druggable Genome

MW: 175.9 kDa

Gene Summary: Tumor necrosis factor alpha (TNF-alpha) is a signaling molecule that interacts with one of two

receptors on cells targeted for apoptosis. The apoptotic signal is transduced inside these cells by cytoplasmic adaptor proteins. The protein encoded by this gene is a death domain-containing adaptor protein that interacts with the death domain of TNF-alpha receptor 1 to activate mitogen-activated protein kinase (MAPK) and propagate the apoptotic signal. It is membrane-bound and expressed at a higher level in neoplastic cells than in normal cells. Several transcript variants encoding different isoforms have been described for this gene.

[provided by RefSeq, Jul 2008]