

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC220347L3V

Angiomotin (AMOT) (NM_133265) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	Angiomotin (AMOT) (NM_133265) Human Tagged ORF Clone Lentiviral Particle
Symbol:	Angiomotin
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_133265
ORF Size:	2028 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC220347).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 133265.2</u>
RefSeq Size:	6514 bp
RefSeq ORF:	2028 bp
Locus ID:	154796
UniProt ID:	<u>Q4VCS5</u>
Cytogenetics:	Xq23
MW:	72.6 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Angiomotin (AMOT) (NM_133265) Human Tagged ORF Clone Lentiviral Particle – RC220347L3V
Gene Summary:	
	conserved coiled-coil domains and C-terminal PDZ binding motifs. The encoded protein is expressed predominantly in endothelial cells of capillaries as well as larger vessels of the placenta where it may mediate the inhibitory effect of angiostatin on tube formation and the

migration of endothelial cells toward growth factors during the formation of new blood

vessels. Alternative splicing results in multiple transcript variants encoding different isoforms.

[provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US