

## **Product datasheet for RC220395**

## FHL2 (NM\_201555) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** FHL2 (NM\_201555) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: FHL2

Synonyms: AAG11; DRAL; FHL-2; SLIM-3; SLIM3

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC220395 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGACTGAGCGCTTTGACTGCCACCATTGCAACGAATCTCTCTTTGGCAAGAAGTACATCCTGCGGGAGG
AGAGCCCCTACTGCGTGGTGTGCTTTGAGACCCTGTTCGCCAACACCTGCGAGGAGTGTGGGAAGCCCAT
CGGCTGTGACTGCAAGGACTTGTCTTACAAGGACCGGCACTGCATGAAGCCTGTTTCCACTGCTCGCAG
TGCAGAAACTCACTGGTGGACAAGCCCTTTGCTGCCAAGGAGGACCAGCTGCTCTGTACAGACTGCTATT
CCAACGAGTACTCATCCAAGTGCCAGGAATGCAAGAAGACCATCATGCCAGGTACCCGCAAGATGGAGTA
CAAGGGCAGCAGCTGGCATGAGACCTGCTTCATCTGCCACCGCTGCCAGCAGCCAATTGGAACCAAGAGT
TTCATCCCCAAAGACAATCAGAATTTCTGTGTGCCCTGCTATGAGAAACAACATGCCATGCAGTGCGTTC
AGTGCAACAAAAAGCCCATCACCACGGGAGGGGTCACTTACCGGGAGCAGCCCTGGCACAAGGAGTGCTTCGT
GTGCACCGCCTGCAGGAAGCAGCTGTCTGGGCAGCGCTTCACAGCTCGCGATGACTTTGCCTACTGCCTG
AACTGCTTCTGTGACTTGTATGCCAAGAAGTGTGCTGGGTGCACCAACCCCATCAGCGGACTTGGTGGCA
CAAAATACATCTCCTTTGAGGAACGGCAGTGGCATAACGACTGCTTTAACTGTAAGAAGTGCTCCCTCTC
ACTGGTGGGGCCTTGCTCACAGAGAGGGACGACATCCTGTGCCCCGACTGTGGGAAAGACATC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com **Protein Sequence:** >RC220395 protein sequence

Red=Cloning site Green=Tags(s)

MTERFDCHHCNESLFGKKYILREESPYCVVCFETLFANTCEECGKPIGCDCKDLSYKDRHWHEACFHCSQ CRNSLVDKPFAAKEDQLLCTDCYSNEYSSKCQECKKTIMPGTRKMEYKGSSWHETCFICHRCQQPIGTKS FIPKDNQNFCVPCYEKQHAMQCVQCKKPITTGGVTYREQPWHKECFVCTACRKQLSGQRFTARDDFAYCL NCFCDLYAKKCAGCTNPISGLGGTKYISFEERQWHNDCFNCKKCSLSLVGRGFLTERDDILCPDCGKDI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6418">https://cdn.origene.com/chromatograms/mk6418</a> f10.zip

**Restriction Sites:** Sgfl-Mlul

Cloning Scheme:



CTATAGGGCGGCCG	EcoR I GGAATTCGTC	Bamh GACTGGAT	II Kpn I	RBS CGAGGAGA	rctgcc		ensus Sgfl	- c c <b>A</b>	TG -		
ORF	NNN	Mlu I ACG CGT T R	ACG CGC		C GAG	CAG A		c.Tag	TCA S	GAA E	GAG E
GAT CTG GCA GC			GAT TAC	Flag.Tag AAG GAT K D	GAC D	GAC G	AT AAG	GTT	me I TAA stop	F. ACGG	se I cagac

<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_201555

ORF Size: 837 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>NM 201555.2</u>

**RefSeq Size:** 1907 bp **RefSeq ORF:** 840 bp

 Locus ID:
 2274

 UniProt ID:
 Q14192

 Cytogenetics:
 2q12.2

**Protein Families:** Druggable Genome


MW: 32.2 kDa

Gene Summary: This gene encodes a member of the four-and-a-half-LIM-only protein family. Family members

contain two highly conserved, tandemly arranged, zinc finger domains with four highly conserved cysteines binding a zinc atom in each zinc finger. This protein is thought to have a role in the assembly of extracellular membranes. Also, this gene is down-regulated during transformation of normal myoblasts to rhabdomyosarcoma cells and the encoded protein may function as a link between presenilin-2 and an intracellular signaling pathway. Multiple alternatively spliced variants encoding different isoforms have been identified. [provided by


RefSeg, Jan 2016]


## **Product images:**



Circular map for RC220395







Western blot validation of overexpression lysate (Cat# [LY404459]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC220395 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified FHL2 protein (Cat# [TP320395]). The protein was produced from HEK293T cells transfected with FHL2 cDNA clone (Cat# RC220395) using MegaTran 2.0 (Cat# [TT210002]).