

Product datasheet for RC220460L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Integrin Linked Kinase (ILK) (NM 001014794) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Integrin Linked Kinase (ILK) (NM_001014794) Human Tagged ORF Clone Lentiviral Particle

Symbol: Integrin Linked Kinase

HEL-S-28; ILK-1; ILK-2; P59; p59ILK Synonyms:

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

mGFP Tag:

NM 001014794 ACCN:

ORF Size: 1356 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC220460).

Sequence:

Cytogenetics:

The molecular sequence of this clone aligns with the gene accession number as a point of OTI Disclaimer:

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001014794.1

RefSeq Size: 1797 bp RefSeq ORF: 1359 bp Locus ID: 3611 **UniProt ID:** Q13418

11p15.4 **Protein Families:** Druggable Genome, Protein Kinase

Protein Pathways: Endometrial cancer, Focal adhesion, PPAR signaling pathway





Integrin Linked Kinase (ILK) (NM_001014794) Human Tagged ORF Clone Lentiviral Particle – RC220460L4V

MW: 51.4 kDa

Gene Summary:

This gene encodes a protein with a kinase-like domain and four ankyrin-like repeats. The encoded protein associates at the cell membrane with the cytoplasmic domain of beta integrins, where it regulates integrin-mediated signal transduction. Activity of this protein is important in the epithelial to mesenchymal transition, and over-expression of this gene is implicated in tumor growth and metastasis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jun 2013]