

## Product datasheet for **RC220522**

### PML Protein (PML) (NM\_033246) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PML Protein (PML) (NM_033246) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PML Protein
Synonyms:	MYL; PP8675; RNF71; TRIM19
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide  
Sequence:**

>RC220522 representing NM\_033246  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGGAGCCTGCACCCGCCGATCTCCGAGGCCAGCAGGACCCGCCCGCCAGGAGCCACCATGCT  
CTCCCCCGAGACCCCTCTGAAGGCGCCAGCCAGCCAGCCAGCCAGCCCTACAGAGCGAGCCCGC  
TTCGGAGGAGGATTCCAGTTTCTGCGCTGCCAGCAATGCCAGGCGAAGCCAAGTGCCGAAGCTGCTG  
CCTTGTCTGCACACGCTGTGCTCAGGATGCCTGGAGGCGTCGGGCATGCAGTGCCCCATCTGCCAGGCGC  
CCTGGCCCTAGGTGCAGACACCCGCCCTGGATAACGTCTTTTTCGAGAGTCTGCAGCGGCGCTGTC  
GGTGTACCGGCAGATTGTGGATGCGCAGGCTGTGTGCACCCGCTGCAAAGAGTCGGCCGACTTCTGGTGC  
TTTGTAGTGCAGCAGCTCCTCTGCGCAAGTGCTTCGAGGCACACCAGTGGTTCCCTAAGCAGGAGGCC  
GGCCCTAGCAGAGTGCACAACAGTCGGTGCCTGAGTTCCTGGACGGCACCCGCAAGACCAACAACAT  
CTTCTGCTCCAACCCAACCCAGCCCTACGCTGACCAGCATCTACTGCCGAGGATGTTCCAAGCCG  
CTGTGCTGCTCGTGCCTCCTTACAGCAGCCACAGTGAAGTCAAGTGCAGCATCAGCGCAGAGATCC  
AGCAGCGACAGGAGGAGCTGGACGCCATGACGCAGGCGCTGCAGGAGCAGGATAGTGCCTTTGGCCGCT  
TCACGCGCAGATGCACGCGGCCGTCGGCCAGCTGGGCCGCGCGCTGCCGAGACCGAGGAGCTGATCCG  
GAGCGCTGCGCCAGGTTAGCTCACGTGCGGGCTCAGGAGCGCGAGCTGCTGGAGGCTGTGGACGCG  
GGTACCAGCGCGACTACGAGGAGATGGCCAGTCCGCTGGGCCGCTGGATGCTGTGCTGCAGCGCATCCG  
CACGGGACGCGCTGTTGCAGAGGATGAAGTGTACGCTCGGACCAGGAGGCTGCTGGACATGCACGGT  
TTCTGCGCCAGGCGCTCTGCCCTGCGCCAGGAGGAGCCAGAGCTGCAAGCTGCCGTGCGCACCG  
ATGGCTTCGACGAGTTCAAGGTGCGCTGCAGGACCTCAGCTCTTGATCACCAGGGAAAGATGCAGC  
TGATCCAAGAAAGCCAGCCAGAGGCTGCCAGCACTCCAGGGACCCTATTGACGTTGACCTGAGGAAC  
CGTTGTGG

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
TGGATTACAAGGATGACGACGATAAGGTTAA

**Protein Sequence:**

>RC220522 representing NM\_033246  
Red=Cloning site Green=Tags(s)

MEPAPARSPRPQQDPARPQEPTMPPPETPSEGRQPSPSPSPTERAPASEEEFQFLRCQQCQAEAKCPKLL  
PCLHTLCSGCLASGMQCPICQAPWPLGADTPALDNVFFESLQRRLSVYRQIVDAQAVCTRCKESADFWC  
FECEQLLCAKCFEAHQWFLKHEARPLAELRNQSVREFLDGTRKTNNIFCSNPNHRTPTLTSIYCRGCSKP  
LCCSCALLDSSSELKCDISAEIQQRQEELDAMTQALQEQDSAFGAVHAQMHAAVGQLGRARAETEELIR  
ERVRQVVAHVRAQERELLEAVDARYQRDYEMASRLGRLDAVLQRIRTGSALVQRMKCYASDQEVLDMHG  
FLRQALCRLRQEELQSLQAAVRTDGFDEFKVRLLQDLSSCITQGDAAVSKKASPEAASTPRDPIDVLRN  
ALW

**SGP**TRRRL**EQKLISEEDLAANDILDYKDDDDK**V


**Chromatograms:**

[https://cdn.origene.com/chromatograms/mk8058\\_g11.zip](https://cdn.origene.com/chromatograms/mk8058_g11.zip)

**Restriction Sites:**

Sgfl-RsrII

Cloning Scheme:



ACCN: NM\_033246

ORF Size: 1269 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_033246.2](#), [NP\\_150249.1](#)

RefSeq Size: 1851 bp

RefSeq ORF: 1272 bp

Locus ID: 5371

UniProt ID: [P29590](#)

Cytogenetics: 15q24.1


**Protein Families:** Druggable Genome, Transcription Factors

**Protein Pathways:** Acute myeloid leukemia, Pathways in cancer, Ubiquitin mediated proteolysis


**MW:** 47.4 kDa

**Gene Summary:** The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This phosphoprotein localizes to nuclear bodies where it functions as a transcription factor and tumor suppressor. Its expression is cell-cycle related and it regulates the p53 response to oncogenic signals. The gene is often involved in the translocation with the retinoic acid receptor alpha gene associated with acute promyelocytic leukemia (APL). Extensive alternative splicing of this gene results in several variations of the protein's central and C-terminal regions; all variants encode the same N-terminus. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]


**Product images:**



Circular map for RC220522



Western blot validation of overexpression lysate (Cat# [LY409652]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC220522 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified PML protein (Cat# [TP320522]). The protein was produced from HEK293T cells transfected with PML cDNA clone (Cat# RC220522) using MegaTran 2.0 (Cat# [TT210002]).