

## Product datasheet for RC220604L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Protein kinase like protein SgK493 (PKDCC) (NM\_138370) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Protein kinase like protein SgK493 (PKDCC) (NM\_138370) Human Tagged ORF Clone Lentiviral

**Particle** 

**Symbol:** Protein kinase like protein SgK493

**Synonyms:** RLSDF; SGK493; Vlk

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 138370

ORF Size: 882 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC220604).

**OTI Disclaimer:** 

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 138370.1</u>, <u>NP 612379.1</u>

 RefSeq Size:
 2517 bp

 RefSeq ORF:
 1482 bp

 Locus ID:
 91461

 UniProt ID:
 Q504Y2

 Cytogenetics:
 2p21

**Protein Families:** Druggable Genome, Protein Kinase





MW: 33.3 kDa

**Gene Summary:** Secreted tyrosine-protein kinase that mediates phosphorylation of extracellular proteins and

endogenous proteins in the secretory pathway, which is essential for patterning at organogenesis stages. Mediates phosphorylation of MMP1, MMP13, MMP14, MMP19 and ERP29 (PubMed:25171405). Probably plays a role in platelets: rapidly and quantitatively

secreted from platelets in response to stimulation of platelet degranulation

(PubMed:25171405). May also have serine/threonine protein kinase activity. Required for longitudinal bone growth through regulation of chondrocyte differentiation. May be indirectly

involved in protein transport from the Golgi apparatus to the plasma membrane (By

similarity).[UniProtKB/Swiss-Prot Function]