

Product datasheet for RC220612L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BRD2 (NM_005104) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: BRD2 (NM_005104) Human Tagged ORF Clone Lentiviral Particle

Symbol: BRD2

Synonyms: BRD2-IT1; D6S113E; FSH; FSRG1; NAT; O27.1.1; RING3; RNF3

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_005104 **ORF Size:** 2043 bp

ORF Nucleotide

OTI Disclaimer:

_.

Sequence:

The ORF insert of this clone is exactly the same as(RC220612).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005104.2

 RefSeq Size:
 4693 bp

 RefSeq ORF:
 2406 bp

 Locus ID:
 6046

 UniProt ID:
 P25440

 Cytogenetics:
 6p21.32

 Domains:
 BROMO

Protein Families: Protein Kinase







MW: 74.88 kDa

Gene Summary:

This gene encodes a transcriptional regulator that belongs to the BET (bromodomains and extra terminal domain) family of proteins. This protein associates with transcription complexes and with acetylated chromatin during mitosis, and it selectively binds to the acetylated lysine-12 residue of histone H4 via its two bromodomains. The gene maps to the major histocompatability complex (MHC) class II region on chromosome 6p21.3, but sequence comparison suggests that the protein is not involved in the immune response. This gene has been implicated in juvenile myoclonic epilepsy, a common form of epilepsy that becomes apparent in adolescence. Multiple alternatively spliced variants have been described for this gene. [provided by RefSeq, Dec 2010]