

Product datasheet for RC220665

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

Relaxin 2 (RLN2) (NM_134441) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Relaxin 2 (RLN2) (NM_134441) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: Relaxin 2

Synonyms: bA12D24.1.1; bA12D24.1.2; H2; H2-RLX; RLXH2

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC220665 representing NM_134441

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC220665 representing NM_134441

Red=Cloning site Green=Tags(s)

MPRLFFFHLLGVCLLLNQFSRAVADSWMEEVIKLCGRELVRAQIAICGMSTWSKRSLSQEDAPQTPRPVA EIVPSFINKDTETINMMSEFVANLPQELKLTLSEMQPALPQLQQHVPVLKDSSLLFEEFKKLIRNRQSEA

ADSSPSELKYLGLDTHSRKKRQLYSALANKCCHVGCTKRSLARFC

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6466 g11.zip






Restriction Sites:

Sgfl-Mlul

Cloning Scheme:



^{*} The last codon before the Stop codon of the ORF

ACCN: NM_134441

ORF Size: 555 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 134441.3</u>

 RefSeq Size:
 788 bp

 RefSeq ORF:
 558 bp

 Locus ID:
 6019

 UniProt ID:
 P04090



Cytogenetics: 9p24.1

Protein Families: Secreted Protein

MW: 20.9 kDa


Gene Summary: This gene encodes a member of the relaxin subfamily and insulin superfamily of peptide

hormones. In humans there are three non-allelic relaxin genes. This gene encodes multiple protein isoforms, at least one of which undergoes proteolytic processing. This processing generates relaxin A and B chains that are linked by disulfide bonds to form the mature peptide hormone. This hormone plays a role in the male and female reproductive systems and was initially noted for its role in pregnancy. This protein also plays broader roles in the cardiovascular system, including in the regulation of blood pressure and control of heart rate,

and data from animal models shows that this protein may have anti-fibrotic and

cardioprotective effects. [provided by RefSeq, Jul 2016]

Product images:



Circular map for RC220665