

Product datasheet for RC220677L3

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

NR2E3 (NM_016346) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: NR2E3 (NM_016346) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: NR2E3

Synonyms: ESCS; PNR; rd7; RNR; RP37

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC220677).

Sequence:

Restriction Sites: Sgfl-Rsrll

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_016346

ORF Size: 1101 bp





NR2E3 (NM_016346) Human Tagged Lenti ORF Clone - RC220677L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 016346.3</u>

 RefSeq Size:
 2108 bp

 RefSeq ORF:
 1104 bp

 Locus ID:
 10002

 UniProt ID:
 Q9Y5X4

 Cytogenetics:
 15q23

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

MW: 39.6 kDa

Gene Summary: This protein is part of a large family of nuclear receptor transcription factors involved in

signaling pathways. Nuclear receptors have been shown to regulate pathways involved in embryonic development, as well as in maintenance of proper cell function in adults. Members of this family are characterized by discrete domains that function in DNA and ligand binding. This gene encodes a retinal nuclear receptor that is a ligand-dependent transcription factor.


Defects in this gene are a cause of enhanced S cone syndrome. Alternatively spliced

transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul

2008]



Product images:



Circular map for RC220677L3