

Product datasheet for **RC220721**

GATA6 (NM_005257) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	GATA6 (NM_005257) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	GATA6
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC220721 representing NM_005257
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCCTTGACTGACGGCGGCTGGTGTTCGCGAAGCGCTTCGGGGCCGCGGGTGGCGACGCCAGCGACT
 CCAGAGCCTTTCCAGCGCGGGAGCCCTCCAGCCGCCTTCCCCATCTCTTCCTCGTCCTCCTCCTGCTC
 CCGGGGCGGAGAGCGGGGCCCGCGCGGCCAGCAACTGCGGGACGCCTCAGCTCGACACGAGGCGGCG
 GCGGACCCCGGCCGCTCGCTGCTGCTCAGTTCTACGCTTCGCATCCCTTCGGGGCTCCCCACGGAC
 CTTGCGCGCTGGGGTCGCGGGCCCCGGGGCAACCTGTCGAGCTGGGAGGACTTGCTGCTGTCTACTGA
 CCTCGACCAAGCCGCGACCGCCAGCAAGCTGCTGTGTTCAGCCGCGCGCCAAGCTGAGCCCTTCGCA
 CCCGAGCAGCCGAGGAGATGTACCAGACCTCGCCGCTCTCTCCAGCCAGGGTCCGGCCGCTACGACG
 GCGCGCCCGCGGCTTCGTGCACTCTGCGGCCGCGCGGCGAGCAGCCGCGCGCGGCCAGCTCCCCGT
 CTACGTGCCACCAACCCGCTGGGTTCATGCTGCCCGGCTACGTACCACTGCAGGGGTGCGGCAGT
 GGGCCAGCAACCAACGCGGGCGCGCGGGCGCGCACCCCGGCTGGCTCAGGCCTCGGCCGACAGCCCTC
 CATAACGCGAGCGAGGCGCGCGCTGGCGGCGGGGCCGCGGGGCTGGCGGCGCTGGCTCAGCCGCGGC
 GCACGTCTCGGCGCGCTTCCCCTACTCTCCAGCCCGCCATGGCCAACGGCGCCGCGCGGGAGCCGGGA
 GGCTACGCGGCGCGGGCAGTGGGGCGCGGGAGGCGTGAGCGCGCGCGGAGTACCTGGCGGCCATGG
 GCGGCCGCGAGCCCCAGTACAGCTCGTGTGCGCCGCGCGGCCGTGAACGGGACGTACCACCACCACCA
 CCACCACCACCACCATTCCGAGCCCCCTACTCGCCCTACGTGGGGGCGCCACTGACGCCTGCCTGGCCC
 GCCGAGCCCTTCGAGACCCCGTGTGCACAGCTGCAGAGCCGCGCGGAGCCCCGCTCCCGGTGCCCC
 GGGGTCCAGTGCAGACTGCTGGAGACCTGTCCGAGAGCCGCGAGTGCCTGAAGTGCCTGCCATCCA
 GAGCCCGCTGTGGCGCGGGGACGGCACCGGCCACTACCTGTGCAACGCCTGCGGGCTCTACAGCAAGATG
 AACGGCCTCAGCCGCGCCCTCATCAAGCCGAGAAAGCGCGTGCCTTCATCAGCGCGCTTGATTGTCT
 GTGCCAAGTGTACACCACAACCTACCACCTTATGGCGCAGAAACGCCGAGGGTGAACCCGTGTGCAATGC
 TTGTGGACTCTACATGAACTCCATGGGGTCCCCAGACCACTTGCTATGAAAAAGAGGGAATCAAACC
 AGGAAACGAAACCTAAGAACATAAATAAATCAAAGACTTGCTCTGGTAATAGCAATAATTCCATTCCCA
 TGACTCCAACCTCCACCTCTTCTAACTCAGATGATTGCAGCAAAATACTTCCCCACAACACAACCTAC
 AGCCTCAGGGGCGGGTCCCCGGTGATGACTGGTGGGAGAGAGACCAATCCCGAGAACAGCGAGCTC
 AAGTATTCGGGTCAAGATGGGCTCTACATAGGCGTCAGTCTGCCTCGCCGCGCGAAGTCACGTCTCCG
 TCGCACCAGGATTCTGGTGGCCCTGGCCCTGGCC

ACGCGTACGCGGCGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC220721 representing NM_005257
 Red=Cloning site Green=Tags(s)

MALTDGGWCLPKRFGAAGADASDSRAFPAREPSTPPSPISSSSSSCSRGERGPGGASNCGTPQLDTEAA
 AGPPARSLLLSSYASHPGFAPHGPSAPGVAGPGNLSSWEDLLFTDLDAQATASKLLWSSRGAKLSPFA
 PEQPEEMYQTLAALSSQGPAAAYDGAPGGFVHSAAAAAAAAAASPVVPTTRVGSMLPGLPYHLQSGS
 GPANHAGGAGHPWPQASADSPPYGSGGGAAGGGAAGPGGAGSAAHVSAARFPYSPSPPMANGAAREPG
 GYAAAGSGGAGGVSGGSSLAAMGGREPQYSSL SAARPLNGTYHHHHHHHHHSPYSPYVGAPLTPAWP
 AGPFETPVLHSLQSRAGAPLPVPRGPSADLLEDLSESRVCNCGSIQTPLWRRDGTGHYLCNACGLYSKM
 NGLSRPLIKPQKRVPSRRLLGLSCANCHTTTTLWRRNAEGEPVCNACGLYMKLHGVPRPLAMKKEGIQT
 RKRKPKNKINSKTCSGNSNNSIPMTPTSTSSNDDCSKNTSPTTQPTASGAGAPVMTGAGESTNPENSEL
 KYSGQDGLYIGVSLASPAEVTSSVRPDSWCALALA

TRTRPLE**QKL**ISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:


ACCN: NM_005257

ORF Size: 1785 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.


Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:


1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_005257.6
RefSeq Size:	3494 bp
RefSeq ORF:	1788 bp
Locus ID:	2627
UniProt ID:	Q92908
Cytogenetics:	18q11.2
Domains:	GATA, GATA-N
Protein Families:	Embryonic stem cells, ES Cell Differentiation/IPS, Transcription Factors
MW:	59.9 kDa
Gene Summary:	This gene is a member of a small family of zinc finger transcription factors that play an important role in the regulation of cellular differentiation and organogenesis during vertebrate development. This gene is expressed during early embryogenesis and localizes to endo- and mesodermally derived cells during later embryogenesis and thereby plays an important role in gut, lung, and heart development. Mutations in this gene are associated with several congenital defects. [provided by RefSeq, Mar 2012]


Product images:




Circular map for RC220721



DNA-binding activity of GATAG was measured in OriGene over-expression lysate [LY401617] and a control lysate. Three microliters of each lysate was tested with a transcription factor binding assay utilizing GATAG-specific DNA sequences. The high level of activity observed in the over-expression lysate compared to the control lysate demonstrates that the expressed GATAG is biologically active in the lysate. Overexpression cell lysates are prepared from HEK293T cells transfected with RC220721 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY GATA6 (Cat# RC220721, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-GATA6 (Cat# [TA500186]). Positive lysates [LY401617] (100ug) and [LC401617] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY401617]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC220721 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).