

## Product datasheet for RC220859

### TACC2 (NM\_206861) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	TACC2 (NM_206861) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	TACC2
Synonyms:	AZU-1; ECTACC
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC220859 representing NM_206861 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCGGATCGCC

ATGGGCAATGAGAACAGCACCTCGGACAACCAGAGGACTTTATCAGCTCAGACTCCAAGGTCCGCGCAGC  
CACCCGGGAACAGTCAGAATATAAAAAGGAAGCAGCAGGACACGCCCGGAAGCCCTGACCACAGAGACGC  
GTCCAGTTCACCTGTGGCAGATGATATCATCCAGCCCGCTGCCCCGAGACTGGAAAGCCCAACCTTA  
GCTGCCTTCTCTACCACGGTGTGTTGTTGGCCAGGTCTCTACGGATCTGATAGCCAGAGGAGTCCG  
ATTCTGAAGAGGCATTTGAGACCCCGGAGTCAACGACCCTGTCAAAGCTCCGCCAGCTCCACCCACC  
ACCCCCGAAGTCATCCAGAACCAGGTCAGCACACAGCCACCCCGGAAGAACCAGGATGTGGTTCT  
GAGACAGTCCCTGTCCCTGATGGCCACGGAGCGACTCGGTGGAAGGAAGTCCCTTCCGTCCCGTCCAC  
ACTCCTTCTCTGCCGTCTTCGATGAAGACAAGCCGATAGCCAGCAGTGGGACTTACAACCTGGACTTTGA  
CAACATTGAGCTTGTGGATACCTTTAGACCTTGGAGCCTCGTGCCTCAGACGCTAAGAATCAGGAGGGC  
AAAGTGAACACACGGAGGAAGTCCAGGATCCGTCCCATCTCTAAGTCTACACTGTCCCGTCCGCTCA  
GCCTGCAAGCCAGTGACTTTGATGGTGTCTTCTCAGGCAATCCCGAGGCGGTGGCCCTTGCCCGAGA  
TGCAATATAGCAGGGTTCCAGCAGTGTCTAGTACCCTTAAGCGAACTAAAAAACCAGGCGCCCTTCC  
TTAAAAAAGAAACAGACCACCAAGAAACCCACAGAGACCCCCCAAGTGAAGGAGACGCAACAGGAGCCAG  
ATGAAGAGAGCCTTGTCCCAAGTGGGAGAATCTAGCATCTGAGACGAAAACGGAATCTGCCAAGACGGA  
AGGTCCTAGCCAGCCTTATTGGAGGAGACGCCCTTGAGCCCGCTGTGGGGCCAAAGCTGCCTGCCCT  
CTGGACTCAGAGAGTGCAGAAGGGTGTCCCGCGCTTCTGGAGGTGGCAGAGTGCAGAACTCACCC  
CTGTCCGGAGGAAAACGCTGCCTTTACCACGGCCCGGAGGCAGGGGAGGTAAACCCATCGGATAGCGG  
GGGCAAGAGGACTCTCCAGCCAAAGGGCTCTCCGTAAGGCTGGAGTTTGACTATTCTGAGGACAAGAGT  
AGTTGGGACAACCAGCAGGAAAACCCCTCTACAAAAGATAGGCAAAAAGCCAGTTGCCAAAATGC  
CCCTGAGGAGGCAAAGATGAAAAGACACCCGAGAACTTGACAACACTCCTGCCTCACCTCCAGATC  
CCCTGCTGAACCAATGACATCCCAATTGCTAAAGTACTTACACCTTTGATATTGACAAGTGGGATGAC  
CCCAATTTAACCTTTTCTTCCACCTCAAAAATGCAGGAGTCTCCAAACTGCCCAACAATCATACA



ACTTTGACCCAGACACCTGTGATGAGTCCGTTGACCCCTTTAAGACATCCTCTAAGACCCCCAGCTCACC  
 TTCTAAATCCCCAGCCTCCTTTGAGATCCCAGCCAGTGCATGGAAGCCAATGGAGTGGACGGGGATGGG  
 CTAACAAGCCCGCAAGAAGAAGAAGACGCCCTAAAGACTGACACATTTAGGGTGA AAAAGTCGCCAA  
 AACGGTCTCCTCTCTGATCCACCTTCCCAGGACCCACCCAGCTGTACACCAGAAACACCACCACTG  
 GATCTCTGCGGTGGTCCACGCCACAGATGAGGAAAAGCTGGCGGTACCAACCAGAAGTGGACGTGCATG  
 ACAGTGGACCTAGAGGCTGACAAACAGGACTACCCGACGCCCTCGACCTGTCCACCTTTGTAACGAGA  
 CCAAATTCAGTTCACCCACTGAGGAGTTGATTACAGAAAACCTTATGAAATTTGAATATATGGAGAAAAT  
 TGGCTCCTCCTTACCTCAGGACGACGATGCCCGAAGAAGCAGGCCTGTACCTTATGTTTGACACTTCT  
 CAGGAGAGCCCTGTCAAGTCATCTCCCGTCCGCATGTCAGAGTCCCCGACGCCGTGTTACAGGTCAGTT  
 TTGAAGAGACTGAAGCCCTTGTGAACACTGCTGCGAAAAACCAGCATCCTGTCCACGAGGACTGGCCCC  
 TAACCAAGAGTCACTTGCAGGTGCCAGAGAAATCCTCCAGAAAGGAGCTGGAGGCCATGGGCTTGGG  
 ACCCTTCAGAAGCGATTGAAATACAGCTCCGAGGGCTCCTTTCCTCTGCTGACGCCCTCCTCAGCA  
 GGCTAGCTACCCCGTCTCTCTGTGGTGCATTGACTATCTGGAGCCCGACTAGCAGAAAAGAACCC  
 CCCACTATTGCTCAGAACTCCAGGAGGAGTTAGAGTTGCCATCATGCGGATAGAAGCCCTGAAGCTG  
 GCCAGGCAGATTGCTTTGGCTTCCCGCAGCCACCAGGATGCCAAGAGAGAGGCTGCTCACCAACAGACG  
 TCTCCATCTCCAAAACAGCCTTGTACTCCCGCATCGGGACCGCTGAGGTGGAGAAACCTGCAGGCCCTTCT  
 GTTCCAGCAGCCGACCTGGACTCTGCCCTCCAGATCGCCAGAGCAGAGATCATAACCAAGGAGAGAGAG  
 GTCTCAGAATGGAAAGATAAATATGAAGAAAGCAGGCGGGAAGTATGGAATAGGAAAATAGTGGCCG  
 AGTATGAGAAGACCATCGCTCAGATGATAGAGGACGAACAGAGAGAGAAGTCACTCTCCACAGACGGT  
 GCAGCAGCTGGTTCTGGAGAAGGAGCAAGCCCTGGCCGACCTGAACTCCGTGGAGAAGTCTCTGGCCGAC  
 CTCTTCAGAAGATATGAGAAGATGAAGGAGTCTAGAAGGCTCCGCAAGAATGAAGAGGTGTTGAAGA  
 GATGTGCGCAGGAGTACCTGTCCCGGTGAAGAAGGAGGAGCAGAGGTACCAGGCCCTGAAGGTGCACCG  
 GGAGGAAAACCTGGACAGGGCCAATGCTGAGATTGCTCAGGTTGAGGCAAGGCCAGCAGGAGCAAGCC  
 GCCCACCAGCCAGCCTGCGGAAGGAGCAGCTGCGAGTGGACGCCCTGGAAGGACGCTGGAGCAGAAGA  
 ATAAAGAAATAGAAGAACTACCAAGATTTGTGACGAAGTATTGCCAAAATGGGAAAAAGC

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC220859 representing NM\_206861  
 Red=Cloning site Green=Tags(s)


MGENSTSDNQRTL SAQTPRSAQPPGNSQNIKRKQQDTPGSPDHRDASSSPVADDIIQPAAPADLESPTL  
 AASSYHGDVVGQVSTDL IAQRSSDSEEFETPESTTPVKAPPAPPPPPPEVIPEPEVSTQPPPEEPGCGS  
 ETVPVPDGRSDSVEGSPFRPPSHSFSAVFDEDKPIASSGTYNLDFDNIELVDTFQTLPRASDAKNQEG  
 KVNTRRKSTDSVPI SKSTLSRSLSLQASDFDGASSGNPEAVALAPDAYSTGSSASSTLKRTRKPRPPS  
 LKKKQTTKKPTETPPVKETQEPDEESLVPSENLASETKTESAKTEGSPALLEETPLEPAVGPKAACP  
 LDSESAEGVPPASGGGRVQNSPPVGRKTLPLTTAPEAGEVTPSDSGGQEDSPAKGLSVRLEFDYSEDKS  
 SWDNQQENPPPTKKIGKKPVAKMPLRRPKMKKTPEKLDNTPASPPRSPAEPNDIPIAKGTYTFDIDKWD  
 PNFNPFSSSTSKMQESPKLPQSYNFPDPTCDESVDPFKTSSKTPSSPSKSPASFEIPASAMEANGVDG  
 LNPKAKKKKTKPLKTDTRVKKSPKRSPSDPPSQDPTPAATPETPPVISA VVHATDEEKLAVTNQKWTM  
 TVDLEADKQDYPQPSDLSTFVNETHKSSPTEELDYRNSYEIEYMEKIGSSLPQDDAPKQALYLMFDT  
 QESPVKSSPVRMSESPTPCSGSSFEETEALVNTAAKNQHPVPRGLAPNQESHQVPEKSSQKELEAMGLG  
 TPSEAIETAPEGSFASADALLSRLAHPVSLCGALDYLEPDLAEKNPPLFAQKLQEELEFAIMRIEALKL  
 ARQIALASRSHQDAKREAAHPTDVSISKALYSRIGTAEVEKPAGLLFQQPDLDSALQIARAEIITKERE  
 VSEWKDYEESSRREVMEMRKIVAEYEKTI AQMIEDEQREKSVSHQTVQQLVLEKEQALADLNSVEKSLAD  
 LFRRYKMKKEVLEGFVKNEEVLKRCQAQYLSRVKKEEQRYQALKVHAEKLDRAEIAQVRGKAQQEQEA  
 AHQASLRKEQLRVDALERTLEQKNKEIEELTKICDELIAKMGKS

SGP TRTRRLEQKLI SEEDLAANDILDYKDDDDKV


**Restriction Sites:**

SgfI-RsrII

Cloning Scheme:



Plasmid Map:



ACCN: NM\_206861

ORF Size: 3282 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_206861.3</u>
<b>RefSeq Size:</b>	4144 bp
<b>RefSeq ORF:</b>	3285 bp
<b>Locus ID:</b>	10579
<b>UniProt ID:</b>	<u>O95359</u>
<b>Cytogenetics:</b>	10q26.13
<b>MW:</b>	119.2 kDa
<b>Gene Summary:</b>	Transforming acidic coiled-coil proteins are a conserved family of centrosome- and microtubule-interacting proteins that are implicated in cancer. This gene encodes a protein that concentrates at centrosomes throughout the cell cycle. This gene lies within a chromosomal region associated with tumorigenesis. Expression of this gene is induced by erythropoietin and is thought to affect the progression of breast tumors. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]