

Product datasheet for RC220948L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Polycystin 2 (PKD2) (NM_000297) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Polycystin 2 (PKD2) (NM_000297) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Polycystin 2

Synonyms: APKD2; Pc-2; PC2; PKD4; TRPP2

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC220948).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_000297

ORF Size: 2904 bp





Polycystin 2 (PKD2) (NM_000297) Human Tagged Lenti ORF Clone - RC220948L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000297.2</u>

RefSeq Size: 5073 bp
RefSeq ORF: 2907 bp
Locus ID: 5311

 UniProt ID:
 Q13563

 Cytogenetics:
 4q22.1

Domains: ion_trans

Protein Families: Druggable Genome, Ion Channels: Transient receptor potential, Transmembrane

MW: 109.5 kDa


Gene Summary: This gene encodes a member of the polycystin protein family. The encoded protein is a multi-

pass membrane protein that functions as a calcium permeable cation channel, and is involved in calcium transport and calcium signaling in renal epithelial cells. This protein interacts with polycystin 1, and they may be partners in a common signaling cascade involved in tubular morphogenesis. Mutations in this gene are associated with autosomal dominant

polycystic kidney disease type 2. [provided by RefSeg, Mar 2011]



Product images:



Circular map for RC220948L3