

## **Product datasheet for RC220958**

## ATP5PF (NM 001003697) Human Tagged ORF Clone

**Product data:** 

**Product Type: Expression Plasmids** 

**Product Name:** ATP5PF (NM\_001003697) Human Tagged ORF Clone

Tag: Myc-DDK ATP5PF Symbol:

Synonyms: ATP5; ATP5A; ATP5J; ATPM; CF6; F6

**Mammalian Cell** 

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL)

**ORF Nucleotide** >RC220958 representing NM\_001003697 Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGATTCTTCAGAGGCTCTTCAGGTTCTCCTCTGTCATTCGGTCAGCCGTCTCAGTCCATTTGCGGAGGA ACATTGGTGTTACAGCAGTGGCATTTAATAAGGAACTTGATCCTATACAGAAACTCTTTGTGGACAAGAT TAGAGAATACAAATCTAAGCGACAGACATCTGGAGGACCTGTTGATGCTAGTTCAGAGTATCAGCAAGAG CTGGAGAGGGAGCTTTTTAAGCTCAAGCAAATGTTTGGTAATGCAGACATGAATACATTTCCCACCTTCA AATTTGAAGATCCCAAATTTGAAGTCATCGAAAAACCCCAGGCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

>RC220958 representing NM\_001003697 **Protein Sequence:** 

Red=Cloning site Green=Tags(s)

MILQRLFRFSSVIRSAVSVHLRRNIGVTAVAFNKELDPIQKLFVDKIREYKSKRQTSGGPVDASSEYQQE

LERELFKLKQMFGNADMNTFPTFKFEDPKFEVIEKPQA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** https://cdn.origene.com/chromatograms/mg3289 f09.zip

**Restriction Sites:** Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001003697

ORF Size: 324 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001003697.1</u>, <u>NP 001003697.1</u>

RefSeq Size: 669 bp RefSeq ORF: 327 bp Locus ID: 522 2016]



**UniProt ID:** P18859 Cytogenetics: 21q21.3

**Protein Pathways:** Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation,


Parkinson's disease

MW: 12.59 kDa

**Gene Summary:** Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of


> protons across the inner membrane during oxidative phosphorylation. It is composed of two linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, which comprises the proton channel. The F1 complex consists of 5 different subunits (alpha, beta, gamma, delta, and epsilon) assembled in a ratio of 3 alpha, 3 beta, and a single representative of the other 3. The Fo complex has nine subunits (a, b, c, d, e, f, g, F6 and 8). This gene encodes the F6 subunit of the Fo complex. The F6 subunit is required for F1 and Fo interactions. Alternatively spliced transcript variants encoding different isoforms have been identified for this gene. This gene has 1 or more pseudogenes. [provided by RefSeq, Feb

## **Product images:**



Circular map for RC220958





Western blot validation of overexpression lysate (Cat# [LY423989]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC221163] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).