

Product datasheet for RC221041

ABCA9 (NM_080283) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ABCA9 (NM_080283) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ABCA9
Synonyms:	EST640918
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC221041 representing NM_080283 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGCAAGAGACGCATGAGCGTGGGTGAGCAAAACATGGGCTCTTCTCTGCAAGAACTGTCTCAAAAAAT
GGAGAATGAAAAGACAGACCTTGTGGAATGGCTCTTTTCATTTCTTCTGGTACTGTTTCTGTACCTATT
TTTCTCCAATTTACATCAAGTTCATGACACTCCTCAAATGCTTCAATGGATCTGGGACGTGTAGATAGT
TTAATGATACTAATTATGTTATTGCATTTGCACCTGAATCCAAAACACCAAGAGATAATGAACAAAG
TGGCTTCAGCCCCATTCCAAAAGGAAGAACAATCATGGGGTGGCCTGATGAAAAAGCATGGATGAATT
GGATTTGAACTATTCAATAGACGCAGTGAGAGTCATCTTACTGATACCTTCTCCTACCATTGAACTTT
TCTTGGGGACATAGAATCCCCATGATGAAAGAGCACAGAGACCATTACAGTCACTGTCAAGCAGTGAATG
AAAAATGAAGTGTGAAGGTTGAGGTTCTGGGAGAAAGGCTTTGTAGCTTTTCAAGCTGCCATTAATGC
TGCTATCATAGAAATCGCAACAAATCATTAGTATGGAACAGCTGATGTGAGTACTGGTGTACATATG
AAGATATTACCTTTTGTGCCAAGGAGGAGTTGCAACTGATTTTTTCAATTTCTTTTGCATTATTTCTT
TTTCTACATTTATATACTATGTATCAGTCAATGTTACACAAGAAAGACAATACATTACGTCATTGATGAC
AATGATGGGACTCCGAGAGTCAGCATTCTGGCTTTCCTGGGTTTGTATGTATGCTGGCTTCATCCTTATC
ATGGCCACTTTAATGGCTTTATTGTAATACTGCACAAATGTGCTGACTGGTTTTGTGATGGTCT
TCACCCTTTTCTCCTCTATGGCCTGTCTTTGATAACTTTAGCTTTCCTGATGAGTGTGTTGATAAAGAA
ACCTTTCCTTACGGGCTTGGTTGTGTTTCTCCTTATTGTCTTTTGGGGATCCTGGGATCCCAGCATTG
TATACAGTCTTCTGCTTTTGGAAATGGACTTTGTGCTTCTTAGCCCTTTGCCTTCACTGTTGGGA
TGGCCAGCTTATACATTTGGACTATGATGTGAATCTAATGCCCACTGGATTCTCACAAAATCCATA
CCTCATAATAGCTACTCTTTTCATGTTGGTTTTGACACCCTTCTGATTTGGTATTGACATTATATTTT
GACAAAATTTGCCCGCTGAATATGGACATCGATGTTCTCCCTGTTTTTCTGAAATCCTGTTTTTGGT
TTCAACACGGAAGGGCTAATCATGTGGTCTTGAGAATGAAACAGATTCTGATCCTACACCTAATGACTG
TTTTGAACAGTGTCTCCAGAATCTGTGGAAAGAAGCCATCAGAATCAAAAATCTTAAAAAGAATAT



Protein Sequence: >RC221041 representing NM_080283
 Red=Cloning site Green=Tags(s)

```

MSKRRMSVGQQTWALLCKNCLKKWRMKRQTLLEWLF SFLLVFLYLF SNNLHQVHDPQMSSMDLGRVDS
FNDDTNYVIAFAPESKTTQEIMNKVASAPFLKGRTIMGWPEDEKSMDELNLNYSIDAVRVIFDTDFSYHLKF
SWGHRIPMMKEHRDHSACQAVNEKMKCEGSEFWEKGFVAFQAAINAAIEIATNHSVMEQLMSVTGVHM
KILPFVAQGGVATDFFIFFCIIISFSTFIYVSVNVTQERQYITSLMTMMGLRESAFWLSWGLMYAGFILI
MATLMALIVKSAQIVVL TGFVMVFTLFLLYGLSLITLAF LMSVL IKKPF LTGLVVFLLVFVWGLGFPAL
YTRLP AFLEWTLCLLSPFAFTVGM AQLIHL D YD VNSNAHL DSSQNPYLIIATL FMLVFD TLLYLVL TLYF
DKILPAEYGHRCSPFLFLKSCFWFHGRANHVLENETSDPTPNDCFEPVSPEFCGKEAIRIKNLKKEY
AGKCERVEALKGVVFDIYEGQITALLGHSAGKTTLLNILSGLSVPTSGSVTVYNHTLSRMADIENISKF
TGFQPSNVQFGFLTVKENLRLFAKIKGILPHEVEKEVQRVVQELEMENIQDILAQNLSGGQNRKLTFGI
AILGDPQVLLDEPTAGLDPLSRHRIWNLLKEGKSDRVILFSTQFIDEADILADRKFVISNGKLCAGSS
LFLKKKWGIGYHLSHLNERCDPESITSLVKQHI SDAKLTAQSEEKLVYILPLERTNKFPELYRDLDRCS
NQGI EDYGVSI T TLNEVFLKLEGSTIDESDIGI WQLQTDGAKDIGSLVELEQVLS SFHETRKTISGVA
LWRQVQCAIAKVRFLK LKKERKSLWTILLLFGISFIPQLLEHLFYESYQKSYWPWELSPNTYFLSPGQQPQ
DPLTHLLVINKTGSTIDNFLHSLRRQNI AIEVDAFGTRNGTDDPSYNGAIIVSGDEKDRHFSIACNTRKRL
NCFPVLLDVISNGLLGIFNSSEHIQTDRSTFFEEHMDYEGYRSNTFFWIPMAASFPTPIAMSSIGDYKK
KAHSQLRISGLYPSAYWFGQALVDVSLYFLILLMQIMDYIFSPEEIIIFIQNL LIQILCSIGYVSSLVF
LTYVISFIFRNGRKNNGIWSFFFLIVVIFSI VATDLNEYGFLGLFFGTMLIPPFTLIGSLFIFSEISPD
MDYLGASESEIVY LALLIPYLHFLIFLILRCLMNCRKKLMRKDPVFRISPRSN AIFPNPEEPEGEED
IQMERMRTVNAMAVRDFDETPV IASCLRKEYAGKKKNCFSKRKKKIATRNVSFCVKKGEVIGLLGHNGA
GKSTTIKMITGDTKPTAGQVILKSGSGGEPLGFLGYCPQENALWPNLTVRQHLEVYAAVKGLRKGDAMIA
ITRLVDALKLQDQLKAPVKTLSEGIKRKLCFVLSILGNPSVVLLEPSTGMDPEGQQQMWQVIRATFRNT
ERGALLTTHYMAEAEAVCDRVAIMVSGRLRCIGSIQHLKSKFGDYLLMKLKNLAQMEPLHAEILRFLP
QAAQQERFSSLMVYKLPVEDVRPLSQAFFKLEIVKQSFDEEYSLSQSTLEQVFLELSKEQELGDLEEDF
DPSVKWKL L L QEEP
  
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8011_h09.zip


Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN:	NM_080283
ORF Size:	4872 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_080283.4
RefSeq Size:	6112 bp
RefSeq ORF:	4875 bp
Locus ID:	10350
UniProt ID:	Q8IUA7
Cytogenetics:	17q24.2
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	ABC transporters
MW:	184.2 kDa
Gene Summary:	This gene is a member of the superfamily of ATP-binding cassette (ABC) transporters and the encoded protein contains two transmembrane domains and two nucleotide binding folds. ABC proteins transport various molecules across extra- and intracellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, and White). This gene is a member of the ABC1 subfamily and is clustered with four other ABC1 family members on chromosome 17q24. Transcriptional expression of this gene is induced during monocyte differentiation into macrophages and is suppressed by cholesterol import. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC221041