

Product datasheet for RC221206

IL28A (IFNL2) (NM 172138) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL28A (IFNL2) (NM_172138) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: IL28A

Synonyms: IL-28A; IL28A

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC221206 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAAACTAGACATGACTGGGGACTGCACGCCAGTGCTGGTGCTGATGGCCGCAGTGCTGACCGTGACTG
GAGCAGTTCCTGTCGCCAGGCTCCACGGGGCTCTCCCGGATGCAAGGGGCTGCCACATAGCCCAGTTCAA
GTCCCTGTCTCCACAGGAGCTGCAGGCCTTTAAGAGGGCCCAAAGATGCCTTAGAAGAGTCGCTTCTGCTG
AAGGACTGCAGGTGCCACTCCCGCCTCTTCCCCAGGACCTGGGACCTGAGGCAGCTGCAGGTGAGGGAGC
GCCCCATGGCTTTGGAGGCTGAGCTGGCCCTGACGCTGAAGGTTCTGGAGGCCACCGCTGACACTGACCC
AGCCCTGGTGGACGTCTTGGACCAGCCCCTTCACACCCTGCACCATATCCTCTCCCAGTTCCGGGCCTGT
ATCCAGCCTCAGCCCACGGCAGGGCCCAGGACCCGGGGCCGCCTCCACCATTGGCTGTACCGGCTCCAGG
AGGCCCCAAAAAAAGGAGTCCCCTGGCTGCACGCTCCTCTCCCCCTCCTCAC

GCGAGACCTGAATTGTGTTGCCAGTGGGGACCTGTGTGTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC221206 protein sequence

Red=Cloning site Green=Tags(s)

MKLDMTGDCTPVLVLMAAVLTVTGAVPVARLHGALPDARGCHIAQFKSLSPQELQAFKRAKDALEESLLL KDCRCHSRLFPRTWDLRQLQVRERPMALEAELALTLKVLEATADTDPALVDVLDQPLHTLHHILSQFRAC

 ${\tt IQPQPTAGPRTRGRLHHWLYRLQEAPKKESPGCLEASVTFNLFRLLTRDLNCVASGDLCV}$

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com Chromatograms: https://cdn.origene.com/chromatograms/mk6461 b06.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_172138

ORF Size: 600 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeg: NM 172138.2

 RefSeq Size:
 734 bp

 RefSeq ORF:
 603 bp

 Locus ID:
 282616



 UniProt ID:
 Q8IZIO

 Cytogenetics:
 19q13.2

Protein Families: Druggable Genome, Secreted Protein, Transmembrane

Protein Pathways: Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway

MW: 22.3 kDa


Gene Summary: This gene encodes a cytokine distantly related to type I interferons and the IL-10 family. This

gene, interleukin 28B (IL28B), and interleukin 29 (IL29) are three closely related cytokine genes that form a cytokine gene cluster on a chromosomal region mapped to 19q13. Expression of the cytokines encoded by the three genes can be induced by viral infection. All three cytokines have been shown to interact with a heterodimeric class II cytokine receptor that


consists of interleukin 10 receptor, beta (IL10RB) and interleukin 28 receptor, alpha (IL28RA).

[provided by RefSeq, Jul 2008]

Product images:



Circular map for RC221206



Western blot validation of overexpression lysate (Cat# [LY406852]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC221206 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).