

## Product datasheet for RC221217L4V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# DKK4 (NM 014420) Human Tagged ORF Clone Lentiviral Particle

#### **Product data:**

**Product Type: Lentiviral Particles** 

**Product Name:** DKK4 (NM 014420) Human Tagged ORF Clone Lentiviral Particle

Symbol: DKK4 DKK-4 Synonyms:

**Mammalian Cell** Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

mGFP Tag:

NM 014420 ACCN:

**ORF Size:** 672 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC221217).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 014420.2

RefSeq Size: 835 bp RefSeq ORF: 675 bp Locus ID: 27121 **UniProt ID:** Q9UBT3 Cytogenetics: 8p11.21

**Protein Families:** Adult stem cells, Cancer stem cells, Druggable Genome, ES Cell Differentiation/IPS, Secreted

Protein, Stem cell relevant signaling - Wnt Signaling pathway





## DKK4 (NM\_014420) Human Tagged ORF Clone Lentiviral Particle - RC221217L4V

**Protein Pathways:** Wnt signaling pathway

MW: 24.88 kDa

**Gene Summary:** This gene encodes a protein that is a member of the dickkopf family. The secreted protein

contains two cysteine rich regions and is involved in embryonic development through its interactions with the Wnt signaling pathway. Activity of this protein is modulated by binding

to the Wnt co-receptor and the co-factor kremen 2. [provided by RefSeq, Jul 2008]