

Product datasheet for RC221266

CD46 (NM_172360) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: CD46 (NM_172360) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: CD46
Synonyms: AHUS2; MCP; MGC26544; MIC10; TLX; TRA2.10
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC221266 representing NM_172360
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGAGCCTCCCGCCGCGCGAGTGTCCCTTTCCTTCTGGCGCTTTCCTGGGTTGCTTCTGGCGCCA
 TGGTGTGCTGCTGACTCCTTCCGATGCCTGTGAGGAGCCACCAACATTTGAAGCTATGGAGCTCAT
 TGGTAAACCAAAACCTACTATGAGATTGGTGAACGAGTAGATTATAAGTGTAAAAAGGATACTTCTAT
 ATACCTCCTCTTGCCACCATACTATTTGTGATCGGAATCATACATGGCTACCTGTCTCAGATGACGCC
 GTTATAGAGAAACATGTCCATATACGGGATCCTTTAAATGGCCAAGCAGTCCCTGCAAAATGGACTTA
 CGAGTTTGGTTATCAGATGCACCTTATTTGTAATGAGGGTTATTACTTAATTGGTGAAGAAATCTATAT
 TGTGAACTTAAAGGATCAGTAGCAATTTGGAGCGGTAAGCCCCAATATGTGAAAAGTTTTGTGTACAC
 CACCTCCAAAAATAAAAAATGAAAAACACACCTTTAGTGAAGTAGAAGTATTTGAGTATCTTGATGCAGT
 AACTTATAGTTGTGATCCTGCACCTGGACCAGATCCATTTTCACTTATTGGAGAGAGCAGATTTATTGT
 GGTGACAATTCAGTGTGGAGTCGTGCTCCAGAGTGTAAAGTGGTCAAATGTCGATTTCCAGTAGTCG
 AAAATGAAAAACAGATATCAGGATTTGAAAAAATTTACTACAAGCAACAGTTATGTTTGAATGCGA
 TAAGGGTTTTACCTCGATGGCAGCGACACAATGTCTGTGACAGTAACAGTACTTGGGATCCCCCAGTT
 CCAAAGTGTCTTAAAGTCTGCCTCCATCTAGTACAAAACCTCCAGCTTTGAGTCATTAGTGTGCACTT
 CTCCACTACAAAATCTCCAGCTCCAGTGCCTCAGGATATCCTAAACCTGAGGAAGGAATACTTGACAG
 TTTGGATGTTGGGTCATTGCTGTGATTGTTATTGCCATAGTTGTTGGAGTTGCAGTAATTTGTGTTGTC
 CCGTACAGATATCTTCAAAGGAGGAAGAAGAAAGGAAAGCAGATGGTGGAGCTGAATATGCCACTTACC
 AGACTAAATCAACCACTCCAGCAGAGCAGAGAGGC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA



[View online >](#)

Protein Sequence: >RC221266 representing NM_172360
Red=Cloning site Green=Tags(s)

MEPPGRRECPFSPWRFPGLLLAAMVLLLYSFSDACEEPTFEAMELIGKPKPYEIGERVDYKCKKGIFY
 IPPLATHHTICDRNHTWLPVSDDACRETCPYIRDPLNGQAVPANGTYEFGYQMHFICNEGYLIGEEILY
 CELKGSVAIWSGKPPICEKVLCTPPPKIKNGKHTFSEVEVFEYLDAVTYSCDPAPGPDPSLIGESTIYC
 GDNSVWSRAAPECKVVKCRFPVVENGGKQISGFGKKFYKATVMFECDKGFYLDGSDTIVCDNSTWDPV
 PKCLKVLPPSSTKPPALSHSVSTSTTKSPASSAGYPKPEEGILDSLVDVWVIAVIVIAIVVGVAVICVY
 PYRYLQRRKKKGKADGGAEYATYQTKSTTPAEQRG

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_172360

ORF Size: 1155 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_172360.1](#), [NP_758870.1](#)

RefSeq Size: 3236 bp

RefSeq ORF: 1157 bp

Locus ID: 4179

Cytogenetics: 1q32.2


Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Complement and coagulation cascades

MW: 38.8 kDa

Gene Summary: The protein encoded by this gene is a type I membrane protein and is a regulatory part of the complement system. The encoded protein has cofactor activity for inactivation of complement components C3b and C4b by serum factor I, which protects the host cell from damage by complement. In addition, the encoded protein can act as a receptor for the Edmonston strain of measles virus, human herpesvirus-6, and type IV pili of pathogenic *Neisseria*. Finally, the protein encoded by this gene may be involved in the fusion of the spermatozoa with the oocyte during fertilization. Mutations at this locus have been associated with susceptibility to hemolytic uremic syndrome. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jun 2010]

Product images:



Circular map for RC221266