

Product datasheet for RC221556L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MARK1 (NM_018650) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: MARK1 (NM 018650) Human Tagged ORF Clone Lentiviral Particle

Symbol: MARK1

Synonyms: MARK; Par-1c; Par1c

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_018650 **ORF Size:** 2385 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC221556).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 018650.3

RefSeq Size: 5293 bp
RefSeq ORF: 2388 bp
Locus ID: 4139
UniProt ID: Q9P0L2
Cytogenetics: 1q41

Domains: UBA, pkinase, TyrKc, KA1, S_TKc

Protein Families: Druggable Genome, Protein Kinase





ORIGENE

MW: 88.8 kDa

Gene Summary: Serine/threonine-protein kinase (PubMed:23666762). Involved in cell polarity and microtubule dynamics regulation. Phosphorylates DCX, MAP2 and MAP4. Phosphorylates the microtubule-

associated protein MAPT/TAU (PubMed:23666762). Involved in cell polarity by

phosphorylating the microtubule-associated proteins MAP2, MAP4 and MAPT/TAU at KXGS motifs, causing detachment from microtubules, and their disassembly. Involved in the regulation of neuronal migration through its dual activities in regulating cellular polarity and microtubule dynamics, possibly by phosphorylating and regulating DCX. Also acts as a

positive regulator of the Wnt signaling pathway, probably by mediating phosphorylation of

dishevelled proteins (DVL1, DVL2 and/or DVL3).[UniProtKB/Swiss-Prot Function]