

Product datasheet for **RC221636L2V**

Cytochrome P450 1A2 (CYP1A2) (NM_000761) Human Tagged ORF Clone Lentiviral Particle

Product data:

| | |
|---------------------------|--|
| Product Type: | Lentiviral Particles |
| Product Name: | Cytochrome P450 1A2 (CYP1A2) (NM_000761) Human Tagged ORF Clone Lentiviral Particle |
| Symbol: | Cytochrome P450 1A2 |
| Synonyms: | CP12; CYPIA2; P3-450; P450(PA) |
| Mammalian Cell Selection: | None |
| Vector: | pLenti-C-mGFP (PS100071) |
| Tag: | mGFP |
| ACCN: | NM_000761 |
| ORF Size: | 1548 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(RC221636). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | NM_000761.3 , NP_000752.2 |
| RefSeq Size: | 3127 bp |
| RefSeq ORF: | 1551 bp |
| Locus ID: | 1544 |
| UniProt ID: | P05177 |
| Cytogenetics: | 15q24.1 |
| Domains: | p450 |
| Protein Families: | Druggable Genome, P450, Transmembrane |


[View online »](#)

| | |
|--------------------------|---|
| Protein Pathways: | Caffeine metabolism, Drug metabolism - cytochrome P450, Linoleic acid metabolism, Metabolic pathways, Metabolism of xenobiotics by cytochrome P450, Retinol metabolism, Tryptophan metabolism |
| MW: | 58.2 kDa |
| Gene Summary: | This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. The protein encoded by this gene localizes to the endoplasmic reticulum and its expression is induced by some polycyclic aromatic hydrocarbons (PAHs), some of which are found in cigarette smoke. The enzyme's endogenous substrate is unknown; however, it is able to metabolize some PAHs to carcinogenic intermediates. Other xenobiotic substrates for this enzyme include caffeine, aflatoxin B1, and acetaminophen. The transcript from this gene contains four Alu sequences flanked by direct repeats in the 3' untranslated region. [provided by RefSeq, Jul 2008] |