

Product datasheet for RC221694

OR4X1 (NM_001004726) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: OR4X1 (NM_001004726) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: OR4X1
Synonyms: OR11-104
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC221694 representing NM_001004726
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGTTGCTACAAACAATGTGACTGAAATAATTTTCGTGGGATTTCCAGAATTGGAGTGAGCAGAGGG
TCATTTCTGTGATGTTTCTCCTCATGTACACAGCTGTTGTGCTGGGCAATGGCCTCATTGTGGTGACCAT
CCTGGCCAGCAAAGTGCTCACCTCCCCATGATTTCTTCTCAGCTACTATCCTTTGTGGAGATCTGC
TACTGTTCTGTCATGGCCCCAAGCTTATCTTTGACTCCTTTATCAAGAGGAAAGTCATTTCTCTCAAGG
GCTGCCTCACACAGATGTTTTCCCTCCATTTCTTTGGTGGCACTGAGGCCTTTCTCCTGATGGTGATGGC
CTATGACCCTATGTGGCCATCTGCAAGCCTTGCACTACATGGCCATCATGAACCAGCGAATGTGTGGT
CTCCTCGTGAGGATAGCATGGGGCGGGGCTGCTGCATTCTGTTGGGCAAACCTTCTGATTTTCCAGC
TCCCGTTCTGTGGCCCCAACATCATGGACCACTACTTCTGTGATGTCCACCCAGTGCTGGAGCTGGCCTG
CGCAGACACCTTCTTATTAGCCTGCTGATCATCACCAATGGCGGCTCCATCTCCGATGTCAGTTTCTTC
GTGCTGATGGCTTCTACCTGATCATCTGCACTTCTGAGAAGCCAACTTGGAGGGGACGACAAAGG
CCCTCTCCACCTGTGCCTCTCATGTACAGTTGTGACCTGTTCTTACATCTTGGCTCCTTGGTCTATAT
TAGGCCCTGTGTACCCTCCCTGCAGACAAGATAGTTGCTGTATTTTATACAGTGGTCACACCTCTCTTA
AACCTGTGATTTACTCCTTCAGGAATGCTGAAGTGAAAAATGCCATGAGGAGATTTATTGGGGGAAAAG
TAATT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC221694 representing NM_001004726
Red=Cloning site Green=Tags(s)

MVATNNVTEIIFVGFSSQNWSEQRVISVMFLLMYTAVVLGNGLIVVTILASKVLTSPMYFFLSYLSFVEIC
 YCSVMAPKLI FDSFIKRKVISLKGCLTQMFSLHFFGGTEAFLLMVMAYDRYVAICKPLHYMAIMNQRMCG
 LLVRIAWGGGLLSVGGQTFILIFQLPFCGPNIMDHYFCDVHPVLELACADTFIFISLLIITNGGSISVVSFF
 VLMASYLIIILHFLRSHNLEGGHKALSTCASHVTVDLFFIPCSLVYIRPCVTL PADKIVAVFYTVVTPLL
 NPVIYSFRNAEVKNAMRRFIGGKVI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8002_f10.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001004726

ORF Size: 915 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001004726.1](#), [NP_001004726.1](#)

RefSeq Size: 918 bp

RefSeq ORF: 918 bp

Locus ID: 390113

UniProt ID: [Q8NH49](#)

Cytogenetics: 11p11.2


Protein Families: Transmembrane

Protein Pathways: Olfactory transduction


MW: 34 kDa

Gene Summary: Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. This olfactory receptor gene is a segregating pseudogene, where some individuals have an allele that encodes a functional olfactory receptor, while other individuals have an allele encoding a protein that is predicted to be non-functional. [provided by RefSeq, Jul 2015]

Product images:



Circular map for RC221694



Western blot validation of overexpression lysate (Cat# [LY423909]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC221694 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).