

## Product datasheet for RC221710

### ATP2B2 (NM\_001001331) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	ATP2B2 (NM_001001331) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ATP2B2
Synonyms:	PMCA2; PMCA2a; PMCA2i
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC221710 representing NM_001001331 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGGTGACATGACCAACAGCGACTTTTACTCCAAAACCAAAGAAATGAGTCGAGCCATGGGGCGGAGT  
TCGGGTGCACAATGGAGGAGCTCCGCTCCCTCATGGAGCTGCGGGGCACTGAGGCTGTGGTCAAGATCAA  
GGAGACTTATGGGGACACCGAAGCCATCTGCCGGCGCCTCAAACCTCACCTGTTGAAGTTTGCCGGGC  
ACCGCTCCAGACCTGAAAAGAGAAAGCAAATTTTGGGCAAACTTTATACCTCAAAGAAGCCAAAA  
CCTTCCTGCAGCTCGTGTGGGAGGCGCTGCAGGACGTGACGCTCATCATCCTGGAGATTGCCGCCATCAT  
CTCCCTGGGGCTGCCTTACCACCCGCCGGCGAGGGCAACGAAGGATGTGCGACGGCCAGGGTGGG  
GCAGAGGATGAAGGAGAGGCAGAGGCAGGTTGGATCGAGGGGGCCGCATTCTCCTCTCAGTTATCTGTG  
TGGTCCTGGTCACGGCCTTCAATGACTGGAGCAAAGAGAAACAGTTCCGGGGCCTGCAGAGCCGCATCGA  
GCAGGAACAGAAATTTACCGTGGTCCGGGCTGGCCAGGTGGTCCAGATCCCTGTGGCTGAGATCGTGGTT  
GGGGACATAGCCAGGTCAAATATGGTGACCTCCTCCCTGCCGACGGCCTTTCATCCAGGGCAATGACC  
TCAAGATTGATGAAAGCTCCCTAACTGGAGAGTCTGACCAGGTGCGCAAGTCCGTGGACAAGGACCCCAT  
GCTGCTGTGAGGAACCCACGTGATGGAGGGCTCAGGACGGATGTTGGTACTGCTGTGGGTGTAAGTCT  
CAGACTGGCATCATCTTACCCTCCTGGGGCTGGTGGTGAAGAGGAAGAGAAGAAAGCAAAAAAGGTG  
TGAAGAAGGGGGATGGCCTTACGCTACCAGCAGCAGCGGTGCGGACAGCTTCAAATGCTGCAGATAGTGC  
GAATGCCAGCCTAGTCAATGGTAAAATGCAGGATGGCAATGTGGACGCCAGCCAGAGCAAAGCCAAACAA  
CAGGACGGGGCAGCCGCATGGAGATGCAGCCCTCAAGAGTGCCGAGGGCGGGCAGCTGACGACAGGA  
AGAAGGCCAGCATGCACAAGAAGGAGAAGTCCGTGCTGCAGGGCAAGCTACCAAGCTGGCTGTGCAGAT  
CGGAAGGCGGGCTTGGTGTGTCAGCCATCACGGTATCATCCTGGTGTCTACTTCACTGTGGACACC  
TTCGTGGTCAACAAGAAGCCGTGGCTGCCTGAGTGCACGCCCGTCTACGTGCAGTACTTTGTCAAGTTCT  
TCATCATTGGCGTGACGGTGTGGTGGTGCCTGCGCCGAGGGGCTCCCTTGCCGTACCATCTCGTT  
GGCCTATTCGGTGAAGAAATGATGAAGACAACAACCTGGTACGCCACCTGGATGCCTGTGAGACCATG



[View online >](#)

GGCAATGCCACAGCCATCTGCTCAGACAAGACAGGCACGCTGACCACCAATCGCATGACAGTGGTACAGG  
CCTATGTCGGCGACGTCCACTATAAAGAGATCCCCGACCCAGCTCCATCAACACCAAGACCATGGAGCT  
GCTGATCAATGCCATCGCCATCAACAGCGCCTACACCACCAAGATTCTGCCCCAGAGAAGGAGGGCGCC  
CTGCCTCGGCAGGTGGGCAACAAGACGGAGTGCGGCCTGCTGGGCTTCGTGCTGGACCTGAAGCAGGACT  
ACGAGCCCGTGCCAGCCAGATGCCAGAGGAGAAGTTGTACAAAGTGTACACCTCAACTCCGTGCGCAA  
GTCCATGAGCACTGTATCAAGCTGCCGACGAGAGCTTCGCATGTACAGCAAGGGGGCTTCTGAGATC  
TGCTCAAGAAGTGTGCAAAATCCTCAATGGGGCGGAGAGCCTCGTGTCTTCCGGCCCCGACCCGGG  
ACGAGATGGTAAAGAAGGTGATTGAGCCCATGGCTTGCATGGGCTCCGCACTATCTGCGTGGCCTACCG  
CGACTTCCCCAGCAGCCCGAGCCGACTGGGACAATGAGAATGACATCCTCAACGAACTCACCTGCATC  
TGCGTGGTGGGCATCGAGGACCCGGTGCAGGAGGTTCCAGAAAGCCATCCGCAAGTGCCAGCGGGCAG  
GCATCACGGTCCGCATGGTCACTGGCGACAATATCAACACGGCTCGGGCCATCGCCATCAAGTGTGGCAT  
CATCCATCTGGGAGGACTTTCTGTGCCTCGAGGGCAAGGAGTTCAACAGGAGGATCCGCAACGAGAAG  
GGGAGATTGAGCAGGAGCGAATTGACAAGATCTGCCAAAGCTGCGGGTGTGGCTCGCTCCTCCCCAA  
CGGACAAGCATAACCTGGTTAAAGGCATCATCGACAGCACACACTGAGCAGCGGCAGGTGGTGGCCGT  
GACGGGGACGGACCAACGACGGCCCTGCACTCAAGAAGCCGACGTGGGCTTCCGCATGGGCATCGCA  
GGCACTGACGTGGCCAAGGAGCCCTCAGACATCATCTGACAGACGACAATTCAGCAGCATCGTCAAGG  
CAGTGATGTGGGGCCGCAACGTCTATGACAGCATCTCAAATTCTTGAGTTCAGCTCACCGTCAACGT  
GGTGGCCGTGATTGTGGCCTTACAGGGCCTGCATCACGCAGGACTCCCTCTGAAGGCCGTGCAGATG  
CTCTGGGTGAACCTCATCATGGACACGTTTGCCTCGCTGGCACTGGCCACTGAGCCGCCACGGAGACCC  
TGCTGCTGAGGAAGCCGTACGGCCGCAACAAGCCGCTCATCTCCAGGACCATGATGAAGAACATCTGGG  
CCATGCTGTCTACCAGCTTGCCCTCATCTTACCCTGCTTTGTTGGCGAGAAGATGTTCCAGATCGAC  
AGCGGGAGGAACGCGCCCTGCATTGCCACCCTCAGAACATTACACCATCATCTTCAACACCTTCGTCA  
TGATGCAGCTCTTCAACGAGATCAACGCCGCAAGATCCACGGGAGCGCAATGTCTTTGACGGCATCTT  
CCGGAACCCCATCTTCTGCACCATCGTGTGGGCACCTTTGCCATCCAGATAGTGATCGTGCAGTTTGG  
GGGAAGCCATTACGTGCTCTCCACTGCAGCTGGACCAGTGGATGTGGTGCATATTCAATGGGTTAGGAG  
AGCTCGTTTGGGGCCAGGTATCGCCACCATCCCGACCAGCAGACTCAAGTTCCTCAAGGAGGCAGGCAG  
GCTCACACAGAAGGAGGAGATCCCGGAGGAGGAGCTCAACGAGGACGTGGAGGAGATCGACCACGGGAG  
CGGGAGCTGCGGGGGCCAGATCCTGTGGTCCGAGGCCTGAATCGGATCCAGACACAGATCCGCGTCCG  
TGAAGGCGTTCCGTAGCTCTCTATGAAGTTTAGAAAAGCCTGAATCTCGAACCTCCATCCATAACTT  
CATGGCTCATCTGAATCCGGATCGAAGATCCAGCCCCACATCCCCCTCATTGATGACACCGACCTG  
GAAGAAGATGCCGCGCTCAAGCAGAAGCTGAGCCCGCGTCAATCCCTCAACAAGAACAACAGCGCCATCG  
ACAGTGGGATCAACCTGACGACCGACACAAGCAAATCAGCTACCTTCAAGTCCAGGGAGCCCCATCCA  
CAGCCTGGAGACGTCGCTT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTAA

**Protein Sequence:** >RC221710 representing NM\_001001331  
 Red=Cloning site Green=Tags(s)

```

MGDMTNSDFYSKNQRNESSHGGEFGCTMEELRSLMELRGTEAVVVIKETYGDTEAICRRLKTSPEGLPG
TAPDLEKRKQIFGQNFIPPKPKTFLQLVWEALQDVTLLIILEIAAIIISLGLSFYHPPGEGNEGCATAQGG
AEDEGEAEAGWIEGAAIILLVVICVVLVAFNDWSKEKQFRGLQSRIEQEQKFTVVRAGQVVQIPVAEIVV
GDIAQVKYGDLLPADGLFIQGNLKDIDESSLTGESDQVRKSVDKDPMMLSGTHVMEGSGRMLVAVGVNS
QTGIIFTLGAGGEEEEKDKKGVKKGDLQLPADGAAASNAADSANASLVNGKMQDGNVDASQSKAKQ
QDGAAAMEMQPLKSAEGGDADDRKKASMHKKEKSVLQGKLTCLAVQIGKAGLVMSAITVILVLYFTVDT
FVYNKKPWLPECTPVYVQYFVKFFIIGVTVLVAVPEGLPLAVTISLAYSVKMMKDNLLVRHLDACETM
GNATAICSDKTGTLTNRMTVVQAYVGDVHYKEIPDPSSINTKTMELLINAIAINSAYTTKILPPEKEGA
LPRQVGNKTECGLLGFVLDLKQDYEPVRSQMPPEEKLYKVYTFNSVRKSMSTVIKLPDESRMYSKGASEI
VLKKCKILNGAGEPRVFRPRDRDEMVKVIEPMACDGLRTICVAYRDFPSSPEPDWDNENDILNELTCI
CVVGIEDPVRPEVPEAIRKQQRAGITVRMVTGDNINTARAIAIKCGIIHPGEDFLCLEGKEFNRRIRNEK
GEIEQERIDKIWPKLRVLARSSPTDKHTLVKGIIDSTHTEQRVVAVTGDGTNDGPALKKADVGFAMGIA
GTDVAKEASDIILTDDNFSSIVKAVMWGRNVYDSISKFLQFQLTVNVVAVIVAVTGFACITQDSPLKAVQM
LWVNLIMDTFASLALATEPPTETLLLRKPYGRNKPLISRTMMKNILGHAVYQLALIFTLLFVGEKMFQID
SGRNAPLHSPSEHYTIIIFNTFVMMQLFNEINARKIHGERNVFDGIFRNPIFCTIVLGTFAIQIVIVQFG
GKPFSCSPLQLDQWMCIFIGL GELVWGQVIAT IPTSRLKFLKEAGRLTQKEEIP EEELNEDVEEIDHAE
RELRRGQILWFRGLNRIQTQIRVVKAFRSSL YEGLEKPESTRSIHNFMAHPEFRIEDSQPHIPLIDDTDL
EEDAALKQNSSPPSSLNKNNSAIDSGINLTTDTSK SATSSSPGSP IHSLETSL
  
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk8001\\_b07.zip](https://cdn.origene.com/chromatograms/mk8001_b07.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**




**ACCN:** NM\_001001331


**ORF Size:** 3729 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001001331.4</a>
<b>RefSeq Size:</b>	6821 bp
<b>RefSeq ORF:</b>	3732 bp
<b>Locus ID:</b>	491
<b>UniProt ID:</b>	<a href="#">Q01814</a>
<b>Cytogenetics:</b>	3p25.3
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>Protein Pathways:</b>	Calcium signaling pathway
<b>MW:</b>	136.7 kDa
<b>Gene Summary:</b>	The protein encoded by this gene belongs to the family of P-type primary ion transport ATPases characterized by the formation of an aspartyl phosphate intermediate during the reaction cycle. These enzymes remove bivalent calcium ions from eukaryotic cells against very large concentration gradients and play a critical role in intracellular calcium homeostasis. The mammalian plasma membrane calcium ATPase isoforms are encoded by at least four separate genes and the diversity of these enzymes is further increased by alternative splicing of transcripts. The expression of different isoforms and splice variants is regulated in a developmental, tissue- and cell type-specific manner, suggesting that these pumps are functionally adapted to the physiological needs of particular cells and tissues. This gene encodes the plasma membrane calcium ATPase isoform 2. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]


Product images:



Circular map for RC221710



Western blot validation of overexpression lysate (Cat# [LY424326]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC221710 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified ATP2B2 protein (Cat# [TP321710]). The protein was produced from HEK293T cells transfected with ATP2B2 cDNA clone (Cat# RC221710) using MegaTran 2.0 (Cat# [TT210002]).