

Product datasheet for **RC221740**

CPT1A (NM_001876) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CPT1A (NM_001876) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CPT1A
Synonyms:	CPT1; CPT1-L; L-CPT1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC221740 representing NM_001876
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCAGAAGCTACCAAGCTGTGGCCTTTCAGTTCACGGTCACTCCGGACGGGATTGACCTGCGGCTGA
 GCCATGAAGCTCTTAGACAAATCTATCTCTGGACTTCATTCCCTGAAAAAGAAGTTCATCAGATTCAA
 GAACGGCATCATCACTGGCGTGTACCCGCAAGCCCTCCAGTTGGCTTATCGTGGTGGTGGCGTGATG
 ACAACGATGTACGCCAAGATAGACCCCTCGTTAGGAATAATTGCAAAAATCAATCGGACTCTGAAACGG
 CCAACTGCATGTCCAGCCAGACGAAGAAGCTGGTCAAGCGCGTGTGTTGGCACCGGCCTGTGGGTGGC
 CCTCATCGTCACCATGCGCTACTCCCTGAAAGTGTGCTCTCTACCACGGGTGGATGTTCACTGAGCAC
 GGCAAGATGAGTCGTGCCACCAAGATCTGGATGGGTATGGTCAAGATCTTTTCAGGCCGAAAACCCATGT
 TGTACAGCTTCCAGACATCGCTGCCTCGCTGCCGGTCCCAGGCTGTCAAAGACACTGTGAACAGGTATCT
 ACAGTCGGTGAGGCTCTTATGAAGGAAGAAGACTTCAAACGGATGACAGCACTTGTCAAGATTTTGTCT
 GTCGGTCTTGACCAAGATTACAGTGGTATTTGAAGTTAAAAATCCCTGGTGGGCTACAAAATACGTGAGCG
 ACTGGTGGGAGGAGTACATCTACCTCCGAGGACGAGGGCCGCTCATGGTGAACAGCAACTATTATGCCAT
 GGATCTGCTGTATATCTTCCAACCTCACATTCAGGCAGCAAGAGCCGGCAACGCCATCCATGCCATCCTG
 CTTTACAGGCGCAAACCTGGACCGGGAGGAAATCAAACCAATTCGTCTTTTGGGATCCACGATCCACTCT
 GCTCCGCTCAGTGGGAGCGGATGTTTAATACTTCCCGGATCCCAGGAGAGGAGACAGACACCATCCAGCA
 CATGAGAGACAGCAAGCACATCGTCGTGTACCGAGGACGCTACTTCAAGGTCTGGCTCTACCATGAT
 GGGCGGCTGTGAAGCCCCGGGAGATGGAGCAGCAGATGCAGAGGATCCTGGACAATACCTCGGAGCCTC
 AGCCCCGGGAGGCCAGGCTGGCAGCCCTCACCGCAGGAGACAGAGTTCCCTGGGCCAGTGTCTGTCAGGC
 CTATTTTGGACGTGGGAAAAATAAGCAGTCTCTTGATGCTGTGGAGAAAGCAGCGTTCTTGTGACGTTA
 GATGAAACTGAAGAAGGATACAGAAGTGAAGACCCGGATACGTCATGGACAGCTACGCCAAATCTCTAC
 TACACGGCCGATGTTACGACAGGTGGTTTGACAAGTCGTTACGTTTGTGTCTTCAAAAACGGGAAGAT
 GGGCCTCAACGCTGAACACTCCTGGGCAGATGCGCCGATCGTGGCCACCTTTGGGAGTACGTCATGTCC
 ATTGACAGCCTCCAGCTGGGCTATGCGGAGGATGGGCACTGCAAAGGCGACATCAATCCGAACATCCGT
 ACCCCACCAGGCTGCAGTGGGACATCCCAGGGGAATGTCAAGAGGTTATAGAGACCTCCCTGAACACCGC
 AAATCTTCTGGCAAACGACGTGGATTTCCATTCTTCCATTCTAGCCTTTGGTAAAGGAATCATCAAG
 AAATGTGCGACGAGCCCAGACGCTTTGTGACGCTGGCCCTCCAGCTGGCGCACTACAAGGACATGGGCA
 AGTTTTGCCTCACATACGAGGCCTCCATGACCCGGCTTCCGAGAGGGGAGGACGGAGACCGTGCCTC
 CTGCAACACTGAGTCATGCGACTTCGTGCGGGCCATGGTGGACCCGGCCAGACGGTGAACAGAGGCTG
 AAGTTGTTCAAGTTGGCGTCTGAGAAGCATCAGCATATGTATCGCTCGCCATGACCGGCTCTGGGATCG
 ATCGTCACCTCTTCTGCCTTACGTTGGTGTCTAAATATCTCGCTGTGGAGTCCCCCTTCTTAAGGAAGT
 TTTATCTGAGCCTTGGAGATTATCAACAAGCCAGACCCCTCAGCAGCAAGTGGAGCTGTTGACTTGGAG
 AATAACCCAGAGTACGTGTCCAGCGGAGGGGCTTTGGACCGGTGCTGATGACGGCTATGGTGTGTCGT
 ACATCCTTGTGGGAGAGAACCTCATCAATTTCCACATTTCTTCAAGTTCTTGGCCTGAGACGGATTC
 TCATCGCTTTGGAAGGCACCTGAAAGAAGCAATGACTGACATCATCACTTTGTTTGGTCTCAGTTCTAAT
 TCCAAAAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC221740 representing NM_001876
Red=Cloning site Green=Tags(s)


MAEAHQAVAFQFTVTPDGIDLRLSHEALRQIYLSGLHSWKKKFIKFKNGIITGVYPASPSSWLIVVVGVM
TTYAKIDPSLGIIAKINRTLETANCMSSQTKNVVSGVLFGTGLWVALIVTMRYSLKVLVSYHGWMFTEH
GKMSRATKIWMGMVKIFSGRKPMLYSFQTSLPRLPVPVAVKDTVNRYLQSVRPLMKEEDFKRMTALAQDFA
VGLGPRLQWYLKLSWWATNYVSDWWEYIYLRGRGPLMVNSNYAMDLLYILPTHIQAARAGNAIHAIL
LYRRKLDREEIKPIRLLGSTIPLCSAQWERMFNTSRIPGEETDTIQHMRDSKHIVVYHRGRYFKVWLYHD
GRLLKPREMEQQMQRILDNTSEPQGEARLAALTAGDRVPWARCRQAYFGRGKKNQSLDAVEKAFFVTL
DETEEGYRSEDPDTSMDSYAKSLLHGRCYDRWFDKSFVVFVFKNGKMGMLNAEHSWADAPIVAHLWEYVMS
IDSLQLGYAEDGHCKGDINPNIPYPTLQWDIPGECQEVIEIETSLNTANLLANDVDFHSFPFVAFGKGIK
KCRTSPDAFVQLALQLAHYKDMGKFCLEYEASMTRLFREGRTETVRSCCTESCDFVRAMVDPAQTVEQRL
KLFKLASEKHQHMRYRLAMTGSIDRHLFCLYVVS KYLAVESPFLKEVLSEPWRLSTSQTQQQVELFDLE
NNPEYVSSGGGFGPVADDGYGVS YILVGENLINFHISSKFSCPETDSHRFGRHLKEAMTDIITLFLGSSN
SKK

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6676_e04.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:



ACCN: NM_001876


ORF Size: 2319 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001876.4
RefSeq Size:	2941 bp
RefSeq ORF:	2322 bp
Locus ID:	1374
UniProt ID:	P50416
Cytogenetics:	11q13.3
Domains:	Carn_acyltransf
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Adipocytokine signaling pathway, Fatty acid metabolism, PPAR signaling pathway
MW:	88.2 kDa
Gene Summary:	The mitochondrial oxidation of long-chain fatty acids is initiated by the sequential action of carnitine palmitoyltransferase I (which is located in the outer membrane and is detergent-labile) and carnitine palmitoyltransferase II (which is located in the inner membrane and is detergent-stable), together with a carnitine-acylcarnitine translocase. CPT I is the key enzyme in the carnitine-dependent transport across the mitochondrial inner membrane and its deficiency results in a decreased rate of fatty acid beta-oxidation. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]


Product images:



Circular map for RC221740



Western blot validation of overexpression lysate (Cat# [LY419675]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC221740 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified CPT1A protein (Cat# [TP321740]). The protein was produced from HEK293T cells transfected with CPT1A cDNA clone (Cat# RC221740) using MegaTran 2.0 (Cat# [TT210002]).