

# **Product datasheet for RC221772**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

# U2AF35 (U2AF1) (NM\_001025203) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: U2AF35 (U2AF1) (NM\_001025203) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: U2AF1

Synonyms: FP793; RN; RNU2AF1; U2AF35; U2AFBP

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC221772 representing NM\_001025203
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

ATGGCGGAGTATCTGGCCTCCATCTTCGGCACCGAGAAAGACAAAGTCAACTGTTCATTTTATTTCAAAA
TTGGAGCATGTCGTCATGGAGACAGGTGCTCTCGGTTGCACAATAAACCGACGTTTAGCCAGACCATCTT
GATTCAAAACATCTATCGTAATCCCCAAAAACAGTGCACAGACGGCTGACGGCTCACACTGTGCCGTGAGC
GATGTGGAGATGCAGGAACACTATGATGAGTTTTTTTGAGGAGGTTTTTACAGAAATGGAGGAGAAGTATG
GGGAAGTAGAGGAGATGAACGTCTGTGACAACCTGGGAGACCACCTGGTGGGGAACGTGTACGTCAAGTT
TCGCCGTGAGGAAGATGCGGAAAAAGGCTGTGATTGACTTGAATAACCGTTGGTTTAATGGACAGCCGATC
CACGCCGAGCTGTCACCCGTGACGGACTTCAGAGAAGCCTGCTGCCGTCAGTATGAGATGGAAATGCA
CACGAGGCGGCTTCTGCAACTTCATGCATTTGAAGCCCATTTCCAGAGAGCTGCGGCGGGAGCTGTATGG
CCGCCGTCGCAAGAAGCATAGATCAAGATCCCGATCCCGGGAGCGTCGTTCTCGGTCTAGAGACCGTGGT
CGTGGCGGTGGCGGTGGCGGTGGAGGTGGCGGCGGAGCGTGACAGGAGGCGTCGAGAGATC
GTGAAAGATCTGGGCGATTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA





Protein Sequence: >RC221772 representing NM\_001025203

Red=Cloning site Green=Tags(s)

MAEYLASIFGTEKDKVNCSFYFKIGACRHGDRCSRLHNKPTFSQTILIQNIYRNPQNSAQTADGSHCAVS DVEMQEHYDEFFEEVFTEMEEKYGEVEEMNVCDNLGDHLVGNVYVKFRREEDAEKAVIDLNNRWFNGQPI HAELSPVTDFREACCRQYEMGECTRGGFCNFMHLKPISRELRRELYGRRRKKHRSRSRSRERRSRSRDRG RGGGGGGGGGGGGGGRERDRRRSRDRERSGRF


#### TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** 

Sgfl-Mlul


**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

## Plasmid Map:



**ACCN:** NM\_001025203

ORF Size: 720 bp



### U2AF35 (U2AF1) (NM\_001025203) Human Tagged ORF Clone - RC221772

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001025203.1</u>, <u>NP 001020374.1</u>

21q22.3

 RefSeq Size:
 971 bp

 RefSeq ORF:
 723 bp

 Locus ID:
 7307

 UniProt ID:
 Q01081

Cytogenetics:

**Protein Families:** Stem cell - Pluripotency

Protein Pathways: Spliceosome MW: 27.7 kDa

**Gene Summary:** This gene belongs to the splicing factor SR family of genes. U2 auxiliary factor, comprising a

large and a small subunit, is a non-snRNP protein required for the binding of U2 snRNP to the pre-mRNA branch site. This gene encodes the small subunit which plays a critical role in both constitutive and enhancer-dependent RNA splicing by directly mediating interactions between

the large subunit and proteins bound to the enhancers. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]