

Product datasheet for RC221793L1

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

RAP1B (NM_001010942) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: RAP1B (NM 001010942) Human Tagged Lenti ORF Clone

Tag: Myc-DDK Symbol: RAP1B

Synonyms: K-REV; RAL1B

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC221793).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001010942

ORF Size: 552 bp





RAP1B (NM_001010942) Human Tagged Lenti ORF Clone - RC221793L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001010942.1</u>

 RefSeq Size:
 2117 bp

 RefSeq ORF:
 555 bp

 Locus ID:
 5908

 UniProt ID:
 P61224

Cytogenetics: 12q15

Protein Families: Druggable Genome

Protein Pathways: Chemokine signaling pathway, Focal adhesion, Leukocyte transendothelial migration, Long-

term potentiation, MAPK signaling pathway, Neurotrophin signaling pathway, Renal cell

carcinoma

MW: 20.6 kDa

Gene Summary: This gene encodes a member of the RAS-like small GTP-binding protein superfamily.


Members of this family regulate multiple cellular processes including cell adhesion and growth and differentiation. This protein localizes to cellular membranes and has been shown to regulate integrin-mediated cell signaling. This protein also plays a role in regulating

outside-in signaling in platelets. Alternate splicing results in multiple transcript variants. Pseudogenes of this gene are found on chromosomes 3, 5, 6 and 9. [provided by RefSeq, Oct


2011]



Product images:



Circular map for RC221793L1



Double digestion of RC221793L1 using Sgfl and Mlul $\,$