

Product datasheet for RC221797L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Tyrosinase (TYR) (NM_000372) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Tyrosinase (TYR) (NM_000372) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Tyrosinase

Synonyms: ATN; CMM8; OCA1; OCA1A; OCAIA; SHEP3

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC221797).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_000372

ORF Size: 1587 bp





Tyrosinase (TYR) (NM_000372) Human Tagged Lenti ORF Clone - RC221797L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000372.3</u>

 RefSeq Size:
 1964 bp

 RefSeq ORF:
 1590 bp

 Locus ID:
 7299

 UniProt ID:
 P14679

Cytogenetics: 11q14.3

Protein Families: Transmembrane

Protein Pathways: Melanogenesis, Metabolic pathways, Riboflavin metabolism, Tyrosine metabolism

MW: 60.39 kDa


Gene Summary: The enzyme encoded by this gene catalyzes the first 2 steps, and at least 1 subsequent step,

in the conversion of tyrosine to melanin. The enzyme has both tyrosine hydroxylase and dopa oxidase catalytic activities, and requires copper for function. Mutations in this gene result in oculocutaneous albinism, and nonpathologic polymorphisms result in skin pigmentation variation. The human genome contains a pseudogene similar to the 3' half of this gene.


[provided by RefSeq, Oct 2008]



Product images:



Circular map for RC221797L1



Double digestion of RC221797L1 using Sgfl-Mlul