

## Product datasheet for **RC221804**

### DPM3 (NM\_153741) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** DPM3 (NM\_153741) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** DPM3  
**Synonyms:** CDG10; MDDGB15; MDDGC15  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC221804 representing NM\_153741  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

**ATGACGAAATTAGCGCAGTGGCTTTGGGGACTAGCGATCCTGGGCTCCACCTGGGTGGCCCTGACCACGG**  
**GAGCCTTGGGCCTGGAGCTGCCCTTGCCTGCCAGGAAGTCCTGTGGCCACTGCCCGCTACTTGTGGT**  
**GTCCGCCGGCTGCTATGCCCTGGGCACTGTGGCTATCGTGTGGCACTTTTCATGACTGCGAGGACGCC**  
**GCACGCGAGCTGCAGAGCCAGATACAGGAGGCCCGAGCCGACTTAGCCCGAGGGGGCTGCGCTC**

**ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT**  
**ACAAGGATGACGACGATAAGGTTTAA**

**Protein Sequence:** >RC221804 representing NM\_153741  
Red=Cloning site Green=Tags(s)

MTKLAQWLWGLAILGSTWVALTTGALGLELPLSCQEVLWPLPAYLLVSAGCYALGTGYRVATFHDCEDA  
ARELQSQIQEARADLARRGLRF

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

**Restriction Sites:** SgfI-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM\_153741

ORF Size: 276 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_153741.2</a>
<b>RefSeq Size:</b>	417 bp
<b>RefSeq ORF:</b>	279 bp
<b>Locus ID:</b>	54344
<b>UniProt ID:</b>	<a href="#">Q9P2X0</a>
<b>Cytogenetics:</b>	1q22
<b>Protein Families:</b>	Transmembrane
<b>Protein Pathways:</b>	Metabolic pathways, N-Glycan biosynthesis
<b>MW:</b>	9.9 kDa
<b>Gene Summary:</b>	Dolichol-phosphate mannose (Dol-P-Man) serves as a donor of mannosyl residues on the luminal side of the endoplasmic reticulum (ER). Lack of Dol-P-Man results in defective surface expression of GPI-anchored proteins. Dol-P-Man is synthesized from GDP-mannose and dolichol-phosphate on the cytosolic side of the ER by the enzyme dolichyl-phosphate mannosyltransferase. The protein encoded by this gene is a subunit of dolichyl-phosphate mannosyltransferase and acts as a stabilizer subunit of the dolichyl-phosphate mannosyltransferase complex. [provided by RefSeq, Jul 2008]