

Product datasheet for **RC221810**

NFX1 (NM_147134) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NFX1 (NM_147134) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NFX1
Synonyms:	NFX2; TEG-42; Tex42
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RC221810 representing NM_147134
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGCGGAGGCGCCTCCTGTCTCAGGTACTTTAAATTCATACAGATGCTGCTGAATTCATTCCTCAGG
 AGAAAAAAAAATTCTGGTCTAAATTGTGGGACTCAAAGGAGACTAGACTCTAATAGGATTGGTAGAAGAAA
 TTACAGTTCACCACTCCTGTACCTTTCCAGGCAGGTCCTTATGATGAAATCTCTGCTGTTTCATCAG
 CATAGTTATCATCCGTCAGGAAGCAAACCTAAGAGTCAGCAGACGCTTTCCAGTCTCTCCTTGTAAATA
 AATCGCCCAAGAGCCATGGCCTTCAGAAATCAACCTTGGCAGAAATGAGGAATGAGAAGCACCATATCAG
 AGTCAAGAAAGCACAGAGTCTTGCTGAGCAGACCTCAGATACAGCTGGATTAGAGAGCTCGACCAGATCA
 GAGAGTGGGACAGACCTCAGAGAGCATAGTCTTCTGAGAGTGAAGGAAGTTGTGGGTGCAGATCCCA
 GGGGAGCAAAACCAAAAAGCAACACAGTTTGTATACAGCTATGGTAGAGGACCAAAAGTCAAGGGGAA
 ACTCAAATGTGAATGGAGTAACCGAACAACCTCCAAAACCGGAGGATGCTGGACCCGAAAGTACCAAACCT
 GTGGGGGTTTTCCACCCTGACTCTTCCAGAGGCATCCTCTAGAAAAGGAGTATTGGATGGGTATGGAGCCA
 GACGAAATGAGCAGAGAAGATACCCACAGAAAAGGCTCCTGGGAAGTGGAGGGGGCCAGGCCACGACC
 AGGCAGAAATCCACAAAACAGGAGGGCCACCGACATACAAAACGAGGACACAGAAAACATGGGCCCC
 ATTCAAAAGGATGACCTCAATGAAAGACCAGCAAAATCTACCTGTGACAGTGAGAATTTGGCAGTCATCA
 ACAAGTCTTCCAGGAGGGTTGACCAAGAGAAATGCACTGTACGGAGGCAGGATCCTCAAGTAGTATCTCC
 TTTCTCCCGAGGCAACAGAACCATGTGCTAAAGAATGTGGAACGCACACAGGTTCTCTAATTGAACAA
 CTAACAACAGAAAAATACGAGTGCATGGTGTGCTGTGAATGGTTCGTGTACGGCCCCAGTGTGGAGTT
 CTCAGAGCTGTTACCATGTGTTTCATTTGAATGCATAAAGAAATGGGCAAGGCTCCAGCATCTCAAGC
 AGATGGCCAGAGTGGTTGGAGGTGCCCTGCCTGTGAGAATGTTTCTGCACATGTTCTAATACCTACACT
 TGTTTCTGTGGCAAGGTAAGAATCCTGAGTGGAGCAGAAATGAAATTCACATAGCTGTGGTGAGGTTT
 GTAGAAAGAAACAGCCTGGCCAGGACTGCCACATTCCTGTAACCTTCTCTGCCATCCAGGACCCTGCC
 ACCCTGCCCTGCCTTTATGACAAAAACATGTGAATGTGGACGAACCAGGCACACAGTTTCGCTGTGGTCAG
 GCTGTCTCAGTCCACTGTTCTAACCATGTGAGAATATTTTGAATGTGGTCAGCACCAGTGTGCTGAGC
 TGTGCCATGGGGTCAAGTCCAGCCTTCCAGATCATTGTAACCAGGTATGCTATTGCGGCAGCACCTC
 CCGAGATGTGTTATGTGGAACCGATGTAGGAAAGTCTGATGGATTGGGGATTCAGCTGTTTAAAGATA
 TGTGGCAAGGACTTGAAATGCGGTAACCATACATGTTGCAAGTGTGCCACCCTCAGCCCTGCCAGCAAT
 GCCCACGGCTCCCCAGCTGGTGCCTGTTGCCCTGTGGCCAACTCCTCTCAGCAATTGCTAGAACT
 TGGAAAGTAGTAGTCGAAAACATGCATGGACCCTGTGCCTTCATGTGAAAAGTGTGCGGCAAGCCTCTG
 CCTTGTGGTTCCTTAGATTTCAATTCATACCTGTGAAAAGCTCTGCCATGAAGGAGACTGTGGACCATGCT
 CTCGCACATCAGTTATTTCTGCAGATGCTCTTTCAGAACAAAGGAGCTTCCATGTACCAGTCTCAAAG
 TGAAGATGCTACATTTATGTGTGACAAGCGGTGTAACAAGAAACGGTTGTGTGGACGGCATAAATGTAAT
 GAGATATGCTGTGTGGATAAGGAGCACAAAGTGTCTTTGATTTGTGGGAGGAACTCCGTTGTGGCCTTC
 ATAGGTGTGAAGAACCTTGTATCGTGGAAACTGCCAGACATGCTGGCAAGCCAGTTTGTGATGAATTAAC
 CTGCCATTGTGGTGCATCAGTGATTTACCCTCCAGTTCCTGTGGTACTAGGCCCCCTGAATGTACCCAA
 ACCTGCGCTAGAGTCCATGAGTGTGACCATCCAGTATATCATTCTTGTCTAGTGAAGAGAAAGTGTCCCC
 CTTGCACTTTCTAACTCAGAAGTGGTGCATGGGCAAGCATGAGCAGTCCCACTACTGGCGTCTACCCA
 GAAGAAAAGAAGTCATTATGAAAAAGATACCTGCACACGCATGTTTA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC221810 representing NM_147134
Red=Cloning site Green=Tags(s)

```



MAEAPPVSGTFKFNTDAAEFIPQEKKNSGLNCGTQRRLDSNRIGRRNYSSPPPCHLSRQVPYDEISAVHQ
HSYHPSGSKPKSQQTSFQSSPCNKSPKSHGLQNQPWQKLRNEKHHIRVKKAAQSLAEQTSDTAGLESSTRS
ESGTDLREHSPSESEKEVVGADPRGAKPKKATQFVYSYGRGPKVKGKLCCEWSNRTPKPEDAGPESTKP
VGVFHPDSSEASSRKGVL DGYGARRNEQRRYPQKRPPWEVEGARPRPGRNPPKQEGHRHTNAGHRNMMGP
IPKDDLNERPAKSTCDSENLA VINKSSRRVDQEKCTVRRQDPQVVSFSSRGKQNHV LKNVETHTGSLIEQ
LTTEKYE CMVCCELVRVTAPVWSCQSCYHVFHLNCIKKWARS PASQADGQSGWRCPACQNVSAHVPNTYT
CFCGKVKNPEWSRNEIPHSCGEVCRKKQPGQDCPHSCNLLCHPGPCPPCPAFMTKTCECGRTRHTVRCGQ
AVSVHCSNPCENILNCGQHQAELCHGGQCQCQIILNQVCYCGSTSRDVL CGTDVVGKSDGFGDF SCLKI
CGKDLKCGNHTCSQVCHPQPCQCPCRLPQLVRCCPCGQTPLSQLLELGSSSRKTCMDPVPSCGKVCCKPL
PCGSLDFIHTCEKLCHEGDCGPCSRTSVISCRCSFRTEL PCTSLKSEDA TFMCDKRCNKKRLCGRHKCN
EICCVDKEHKCPLICGRKLRGLHRCEEPCHRGNCQTCWQASFDEL TCHCGASVIYPPVPCGTRPPECTQ
TCARVHECDHPVYH SCHSEEKCPPCTFLTQKWC MGKHEQSHYWASTQKKRSHYMKKIPAHACL
    
```

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_147134

ORF Size: 2499 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)
OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_147134.4](#)

RefSeq Size: 3638 bp

RefSeq ORF: 2502 bp

Locus ID: 4799

UniProt ID: [Q12986](#)


Cytogenetics: 9p13.3

Protein Families: Druggable Genome, Transcription Factors

MW: 92.7 kDa

Gene Summary: MHC class II gene expression is controlled primarily at the transcriptional level by transcription factors that bind to the X and Y boxes, two highly conserved elements in the proximal promoter of MHC class II genes. The protein encoded by this gene is a transcriptional repressor capable of binding to the conserved X box motif of HLA-DRA and other MHC class II genes in vitro. The protein may play a role in regulating the duration of an inflammatory response by limiting the period in which class II MHC molecules are induced by IFN-gamma. Three alternative splice variants, each of which encodes a different isoform, have been identified. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC221810