

Product datasheet for RC221843

LIAS (NM_194451) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	LIAS (NM_194451) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	LIAS
Synonyms:	HGCLAS; HUSSY-01; LAS; LIP1; LS; PDHLD
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC221843 representing NM_194451 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCTCTACGCTGCGGGGATGCAGCCCGCACCCTGGGGCCCCGGGTATTTGGGAGATATTTTTGCAGCC
CAGTCAGACCGTTAAGCTCCTTGCCAGATAAAAAAGGAACTCCTACAGAATGGACCAGACCTTCAAGA
TTTTGTATCTGGTATCTTGCAGACAGGAGCACCTGGGATGAATATAAAGGAAACCTAAAACGCCAGAAA
GGAGAAAGGTTAAGACTACCTCCATGGCTAAAGACAGAGATCCCATGGGAAAAATTACAATAAATGA
AAAATACTTTGCGGAATTTAAATCTCCATACAGTATGTGAGGAAGCTCGATGTCCAATATTGGAGAGTG
TTGGGGAGGTGGAGAATATGCCACCGCCACAGCCACGATCATGTTGATGGGTGACACATGTACAAGAGGT
TGCAGATTTTGTCTGTTAAGACTGCAAGAAATCCTCCTCCACTGGATGCCAGTGAGCCCTACAATACTG
CAAAGGCAATGCAGAATGGGGTCTGGATTATGTTGTCCTGACATCTGTGGATCGAGATGATATGCCTGA
TGGGGGAGCTGAACACATTGCAAAGACCGTATCATATTTAAAGGAAAGGAATCCAAAAATCCTTGTGGAG
TGTCTTACTCCTGATTTTCGAGGTGATCTCAAAGCAATAGAAAAAGTTGCTCTGTGAGGATTAGATGTGT
ATGCACATAATGTAGAAACAGTCCCGAATTACAGAGTAAGGTTTCGTGATCCTCGGGCAATTTTGATCA
GTCCCTACGTGTACTGAAACATGCCAAGAAGGTTACGCTGATGTTATTTCTAAAACATCTATAATGTTG
GGTTTAGGCGAGAATGATGAGCAAGTATATGCAACAATGAAAGCACTTCGTGAGGCAGATGTAGACTGCT
TGACTTTAGGACAATATATGCAGCCAACAAGGCGTCACCTTAAGGTGAATTTTTCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC221843 representing NM_194451
Red=Cloning site Green=Tags(s)

MSLRRCGDAARTLGPRVFGRYFCSPVRPLSSLPDKKKELLQNGPDLQDFVSGDLADRSTWDEYKGNLKRQK
 GERLRLPPWLKTEIPMGKNYNKLNKNTLRNLNLHTVCEEARCPNIGECWGGGEYATATATIMLMGDTCTRG
 CRFCSVKTARNPPPLDASEPYNTAKAIAEWGLDYVVLTSVDRDDMPDGGAEHIAKTVSYLKERNPKILVE
 CLTPDFRGDLKAIKVALSGLDVYAHNVETVPELQSKVRDPRANFDQSLRVLKHAKKVQPDVISKTSIML
 GLGENDEQYYATMKALREADVDCLTLGQYMQPTRRHLKVNFS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8052_b03.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_194451

ORF Size: 966 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_194451.3](#)

RefSeq Size: 1631 bp

RefSeq ORF: 969 bp

Locus ID: 11019

UniProt ID: [O43766](#)


Cytogenetics: 4p14

Protein Pathways: Lipolic acid metabolism, Metabolic pathways

MW: 33.1 kDa

Gene Summary: The protein encoded by this gene belongs to the biotin and lipoic acid synthetases family. Localized in the mitochondrion, this iron-sulfur enzyme catalyzes the final step in the de novo pathway for the biosynthesis of lipoic acid, a potent antioxidant. The deficient expression of this enzyme has been linked to conditions such as diabetes, atherosclerosis and neonatal-onset epilepsy. Alternative splicing occurs at this locus, and several transcript variants encoding distinct isoforms have been identified. [provided by RefSeq, Aug 2020]

Product images:



Circular map for RC221843