

Product datasheet for RC221950L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Dectin 1 (CLEC7A) (NM 197948) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Dectin 1 (CLEC7A) (NM_197948) Human Tagged Lenti ORF Clone

Tag: mGFP
Symbol: Dectin 1

Synonyms: BGR; CANDF4; CD369; CLECSF12; DECTIN1; SCARE2

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC221950).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_197948

ORF Size: 567 bp





Dectin 1 (CLEC7A) (NM_197948) Human Tagged Lenti ORF Clone - RC221950L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 197948.2</u>

 RefSeq Size:
 2503 bp

 RefSeq ORF:
 570 bp

 Locus ID:
 64581

 UniProt ID:
 Q9BXN2

 Cytogenetics:
 12p13.2

Protein Families: Druggable Genome, Transmembrane

MW: 21.1 kDa

Gene Summary: This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD)

superfamily. The encoded glycoprotein is a small type II membrane receptor with an


extracellular C-type lectin-like domain fold and a cytoplasmic domain with an

immunoreceptor tyrosine-based activation motif. It functions as a pattern-recognition receptor that recognizes a variety of beta-1,3-linked and beta-1,6-linked glucans from fungi and plants, and in this way plays a role in innate immune response. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. This gene is closely linked to other CTL/CTLD superfamily members on chromosome 12p13 in the natural killer

gene complex region. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC221950L4