

## Product datasheet for RC221952L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## PCB (PC) (NM\_001040716) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: PCB (PC) (NM 001040716) Human Tagged ORF Clone Lentiviral Particle

Symbol: PCB Synonyms: PCB

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_001040716

ORF Size: 3534 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC221952).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001040716.1</u>

 RefSeq Size:
 4192 bp

 RefSeq ORF:
 3537 bp

 Locus ID:
 5091

 UniProt ID:
 P11498

 Cytogenetics:
 11q13.2

**Protein Families:** Druggable Genome

**Protein Pathways:** Citrate cycle (TCA cycle), Metabolic pathways, Pyruvate metabolism





ORÏGENE

**MW:** 129.6 kDa

Gene Summary:

This gene encodes pyruvate carboxylase, which requires biotin and ATP to catalyse the carboxylation of pyruvate to oxaloacetate. The active enzyme is a homotetramer arranged in a tetrahedron which is located exclusively in the mitochondrial matrix. Pyruvate carboxylase is involved in gluconeogenesis, lipogenesis, insulin secretion and synthesis of the neurotransmitter glutamate. Mutations in this gene have been associated with pyruvate carboxylase deficiency. Alternatively spliced transcript variants with different 5' UTRs, but encoding the same protein, have been found for this gene. [provided by RefSeq, Jul 2008]