

## Product datasheet for RC222093L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## MTUS1 (NM\_001001925) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: MTUS1 (NM\_001001925) Human Tagged ORF Clone Lentiviral Particle

Symbol: MTUS1

Synonyms: ATBP; ATIP3; ICIS; MP44; MTSG1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001001925

ORF Size: 3648 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC222093).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 001001925.2</u>, <u>NP 001001925.1</u>

 RefSeq Size:
 6273 bp

 RefSeq ORF:
 3651 bp

 Locus ID:
 57509

 UniProt ID:
 Q9ULD2

 Cytogenetics:
 8p22

**Protein Families:** Druggable Genome, Transcription Factors, Transmembrane

MW: 135.7 kDa







## **Gene Summary:**

This gene encodes a protein which contains a C-terminal domain able to interact with the angiotension II (AT2) receptor and a large coiled-coil region allowing dimerization. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. One of the transcript variants has been shown to encode a mitochondrial protein that acts as a tumor suppressor and partcipates in AT2 signaling pathways. Other variants may encode nuclear or transmembrane proteins but it has not been determined whether they also participate in AT2 signaling pathways. [provided by RefSeq, Jul 2008]