OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RC222096

KCNQ2 (NM_004518) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KCNQ2 (NM_004518) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	KCNQ2
Synonyms:	BFNC; DEE7; EBN; EBN1; ENB1; HNSPC; KCNA11; KV7.2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

View online »

ORF Nucleotide Sequence:

>RC222096 representing NM_004518
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGTGCAGAAGTCGCGCAACGGCGGCGTATACCCCGGCCCGAGCGGGGAGAAGAAGCTGAAGGTGGGCT
TCGTGGGGCTGGACCCCGGCGCGCCCGACTCCACCCGGGACGGGGCGCTGCTGATCGCCGGCTCCGAGGC
CCCCAAGCGCGGCAGCATCCTCAGCAAACCTCGCGCGGGCGGCGCGGGCGCCGGGAAGCCCCCCAAGCGC
AACGCCTTCTACCGCAAGCTGCAGAATTTCCTCTACAACGTGCTGGAGCGGCCGCGCGGCTGGGCGTTCA
TCTACCACGCCTACGTGTTCCTCCTGGTTTTCTCCTGCCTCGTGCTGTCTGTGTTTTCCACCATCAAGGA
GTATGAGAAGAGCTCGGAGGGGGCCCTCTACATCCTGGAAATCGTGACTATCGTGGTGTTTGGCGTGGAG
TACTTCGTGCGGATCTGGGCCGCAGGCTGCTGCTGCCGGTACCGTGGCTGGAGGGGGCGGCTCAAGTTTG
CCCGGAAACCGTTCTGTGTGATTGACATCATGGTGCTCATCGCCTCCATTGCGGTGCTGGCCGCCGGCTC
CCAGGGCAACGTCTTTGCCACATCTGCGCTCCGGAGCCTGCGCTTCCTGCAGATTCTGCGGATGATCCGC
ATGGACCGGCGGGGAGGCACCTGGAAGCTGCTGGGCTCTGTGGTCTATGCCCACAGCAAGGAGCTGGTCA
CTGCCTGGTACATCGGCTTCCTTTGTCTCATCCTGGCCTCGTTCCTGGTGTACTTGGCAGAGAAGGGGGA
GAACGACCACTTTGACACCTACGCGGATGCACTCTGGTGGGGCCTGATCACGCTGACCACCATTGGCTAC
GGGGACAAGTACCCCCAGACCTGGAACGGCAGGCTCCTTGCGGCAACCTTCACCCTCATCGGTGTCTCCT
TCTTCGCGCTGCCTGCAGGCATCTTGGGGTCTGGGTTTGCCCTGAAGGTTCAGGAGCAGCACAGGCAGAA
GCACTTTGAGAAGAGGCGGAACCCGGCAGCAGGCCTGATCCAGTCGGCCTGGAGATTCTACGCCACCAAC
CTCTCGCGCACAGACCTGCACTCCACGTGGCAGTACTACGAGCGAACGGTCACCGTGCCCATGTACAGAC
TTATCCCCCCGCTGAACCAGCTGGAGCTGCTGAGGAACCTCAAGAGTAAATCTGGACTCGCTTTCAGGAA
GGACCCCCCGCCGGAGCCGTCTCCAAGCCAGAAGGTCAGTTTGAAAGATCGTGTCTTCTCCAGCCCCCGA
GGCGTGGCTGCCAAGGGGAAGGGGTCCCCGCAGGCCCAGACTGTGAGGCGGTCACCCAGCGCCGACCAGA
GCCTCGAGGACAGCCCCAGCAAGGTGCCCAAGAGCTGGAGCTTCGGGGACCGCAGCCGGGCACGCCAGGC
TTTCCGCATCAAGGGTGCCGCGTCACGGCAGAACTCAGAAGAAGCAAGCCTCCCCGGAGAGGACATTGTG
GATGACAAGAGCTGCCCCTGCGAGTTTGTGACCGAGGACCTGACCCCGGGCCTCAAAGTCAGCATCAGAG
CCGTGTGTGTCATGCGGTTCCTGGTGTCCAAGCGGAAGTTCAAGGAGAGCCTGCGGCCCTACGACGTGAT
GGACGTCATCGAGCAGTACTCAGCCGGCCACCTGGACATGCTGTCCCGAATTAAGAGCCTGCAGTCCAGA
GTGGACCAGATCGTGGGGCGGGGCCCAGCGATCACGGACAAGGACCGCACCAAGGGCCCGGCCGAGGCGG
AGCTGCCCGAGGACCCCAGCATGATGGGACGGCTCGGGAAGGTGGAGAAGCAGGTCTTGTCCATGGAGAA
GAAGCTGGACTTCCTGGTGAATATCTACATGCAGCGGATGGGCATCCCCCCGACAGAGACCGAGGCCTAC
TTTGGGGCCAAAGAGCCGGAGCCGGCGCCGCCGTACCACAGCCCGGAAGACAGCCGGGAGCATGTCGACA
GGCACGGCTGCATTGTCAAGATCGTGCGCTCCAGCAGCTCCACGGGCCAGAAGAACTTCTCGGCGCCCCC
GGCCGCGCCCCCTGTCCAGTGTCCGCCCTCCACCTCCTGGCAGCCACAGAGCCACCCGCGCCAGGGCCAC
GGCACCTCCCCCGTGGGGGACCACGGCTCCCTGGTGCGCATCCCGCCGCCGCCTGCCCACGAGCGGTCGC
TGTCCGCCTACGGCGGGGGCAACCGCGCCAGCATGGAGTTCCTGCGGCAGGAGGACACCCCGGGCTGCAG
GCCCCCCGAGGGGAACCTGCGGGACAGCGACACGTCCATCTCCATCCCGTCCGTGGACCACGAGGAGCTG
GAGCGTTCCTTCAGCGGCTTCAGCATCTCCCAGTCCAAGGAGAACCTGGATGCTCTCAACAGCTGCTACG
CGGCCGTGGCGCCTTGTGCCAAAGTCAGGCCCTACATTGCGGAGGGAGAGTCAGACACCGACTCCGACCT
CTGTACCCCGTGCGGGCCCCCGCCACGCTCGGCCACCGGCGAGGGTCCCTTTGGTGACGTGGGCTGGGCC
GGGCCCAGGAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC222096 representing NM_004518
Red=Cloning site Green=Tags(s)

MVQKSRNGGVYPGPSGEKKLKVGFVGLDPGAPDSTRDGALLIAGSEAPKRGSILSKPRAGGAGAGKPPKR
NAFYRKLQNFLYNVLERPRGWAFIYHAYVFLLVFSCLVLSVFSTIKEYEKSSEGALYILEIVTIVVFGVE
YFVRIWAAGCCCRYRGWRGRLKFARKPFCVIDIMVLIASIAVLAAGSQGNVFATSALRSLRFLQILRMIR
MDRRGGTWKLLGSVVYAHSKELVTAWYIGFLCLILASFLVYLAEKGENDHFDTYADALWWGLITLTTIGY
GDKYPQTWNGRLLAATFTLIGVSFFALPAGILGSGFALKVQEQHRQKHFEKRRNPAAGLIQSAWRFYATN
LSRTDLHSTWQYYERTVTVPMYRLIPPLNQLELLRNLKSKSGLAFRKDPPPEPSPSQKVSLKDRVFSSPR
GVAAKGKGSPQAQTVRRSPSADQSLEDSPSKVPKSWSFGDRSRARQAFRIKGAASRQNSEEASLPGEDIV
DDKSCPCEFVTEDLTPGLKVSIRAVCVMRFLVSKRKFKESLRPYDVMDVIEQYSAGHLDMLSRIKSLQSR
VDQIVGRGPAITDKDRTKGPAEAELPEDPSMMGRLGKVEKQVLSMEKKLDFLVNIYMQRMGIPPTETEAY
FGAKEPEPAPPYHSPEDSREHVDRHGCIVKIVRSSSSTGQKNFSAPPAAPPVQCPPSTSWQPQSHPRQGH
GTSPVGDHGSLVRIPPPPAHERSLSAYGGGNRASMEFLRQEDTPGCRPPEGNLRDSDTSISIPSVDHEEL
ERSFSGFSISQSKENLDALNSCYAAVAPCAKVRPYIAEGESDTDSDLCTPCGPPPRSATGEGPFGDVGWA
GPRK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN:	NM_004518
ORF Size:	2532 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_004518.6
RefSeq Size:	3167 bp
RefSeq ORF:	2535 bp
Locus ID:	3785
UniProt ID:	O43526
Cytogenetics:	20q13.33
Domains:	KCNQ_channel, ion_trans
Protein Families:	Druggable Genome, Ion Channels: Potassium, Transmembrane
MW:	93.1 kDa
Gene Summary:	The M channel is a slowly activating and deactivating potassium channel that plays a critical role in the regulation of neuronal excitability. The M channel is formed by the association of the protein encoded by this gene and a related protein encoded by the KCNQ3 gene, both integral membrane proteins. M channel currents are inhibited by M1 muscarinic acetylcholine receptors and activated by retigabine, a novel anti-convulsant drug. Defects in this gene are a cause of benign familial neonatal convulsions type 1 (BFNC), also known as epilepsy, benign neonatal type 1 (EBN1). At least five transcript variants encoding five different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC222096