

Product datasheet for RC222130L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OATP2 (SLCO1B1) (NM 006446) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: OATP2 (SLCO1B1) (NM_006446) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: OATP2

Synonyms: HBLRR; LST-1; LST1; OATP-C; OATP1B1; OATP2; OATPC; SLC21A6

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC222130).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_006446

ORF Size: 2073 bp





OATP2 (SLCO1B1) (NM_006446) Human Tagged Lenti ORF Clone - RC222130L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006446.2</u>

 RefSeq Size:
 2830 bp

 RefSeq ORF:
 2076 bp

 Locus ID:
 10599

 UniProt ID:
 Q9Y6L6

Cytogenetics: 12p12.1

Domains: OATP_N, OATP_C

Protein Families: Druggable Genome, Transmembrane

MW: 76.3 kDa

Gene Summary: This gene encodes a liver-specific member of the organic anion transporter family. The

encoded protein is a transmembrane receptor that mediates the sodium-independent uptake of numerous endogenous compounds including bilirubin, 17-beta-glucuronosyl estradiol and leukotriene C4. This protein is also involved in the removal of drug compounds such as


statins, bromosulfophthalein and rifampin from the blood into the hepatocytes.

Polymorphisms in the gene encoding this protein are associated with impaired transporter

function. [provided by RefSeq, Mar 2009]



Product images:



Circular map for RC222130L1