

Product datasheet for RC222130L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OATP2 (SLCO1B1) (NM_006446) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: OATP2 (SLCO1B1) (NM_006446) Human Tagged ORF Clone Lentiviral Particle

Symbol: OATP2

Synonyms: HBLRR; LST-1; LST1; OATP-C; OATP1B1; OATP2; OATPC; SLC21A6

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag:Myc-DDKACCN:NM_006446

ORF Size: 2073 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC222130).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 006446.2

 RefSeq Size:
 2830 bp

 RefSeq ORF:
 2076 bp

 Locus ID:
 10599

 UniProt ID:
 Q9Y6L6

 Cytogenetics:
 12p12.1

Domains: OATP_N, OATP_C

Protein Families: Druggable Genome, Transmembrane





MW: 76.3 kDa

Gene Summary:

This gene encodes a liver-specific member of the organic anion transporter family. The encoded protein is a transmembrane receptor that mediates the sodium-independent uptake of numerous endogenous compounds including bilirubin, 17-beta-glucuronosyl estradiol and leukotriene C4. This protein is also involved in the removal of drug compounds such as statins, bromosulfophthalein and rifampin from the blood into the hepatocytes.

Polymorphisms in the gene encoding this protein are associated with impaired transporter

function. [provided by RefSeq, Mar 2009]