

Product datasheet for RC222134

MRPL55 (NM 181462) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MRPL55 (NM_181462) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: MRPL55

Synonyms: AAVG5835; L55nt; MRP-L55; PRO19675

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC222134 representing NM_181462

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCGGCCGTGGGCAGCCTGCTTGGCCTGGCAGCCTCTTCCTGGCTAGGGGGCCAGAACGCCTCTGACC ACAGCCTGTGGCTCCTGAGGAAGCCCCGAGGCTCATCCTGCCCGGCACGGGTCACCAGCTCTGCCGGCT GAGGCAGAGCACCGTGAAGGCCACCGGACCTGCACTCCGCCGCCTGCACCACCATCCTCGTGGCAGCTGAC AGCAGCAGGGCCTCACTCACTCGTGTGCACCGCCAGGCTTATGCACCGACTCTACCCCGTGCTGCTGGTGA AGCAGGATGGCTCCACCATCCACTCCGCTACAGGGAGCCACGGCGCATGCTGGCGATGCCCATAGATCT GGACACCCTGTCTCCTGAGGAGCCCAGGCTGCGGAAGCGTGAGGCTCAGCTCCAGTCGAGGAAG GAGTACGAGCAGGAGCTCAGTGATGATGATGTGGAGCCAGGACCAAGA

 $\mathsf{A}\mathsf{G}$

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC222134 representing NM_181462

Red=Cloning site Green=Tags(s)

MAAVGSLLGLAASSWLGGQNASDHSLWLLRKPRGSSCPGTGHQLCRLRQSTVKATGPALRRLHTSSWRAD SSRASLTRVHRQAYARLYPVLLVKQDGSTIHIRYREPRRMLAMPIDLDTLSPEERRARLRKREAQLQSRK

EYEQELSDDLHVERYRQFWTRTKK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8039 e12.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_181462

ORF Size: 492 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 181462.2</u>, <u>NP 852127.2</u>

 RefSeq Size:
 882 bp

 RefSeq ORF:
 495 bp

 Locus ID:
 128308

 UniProt ID:
 Q7Z7F7




Cytogenetics: 1q42.13

MW: 18.7 kDa


Gene Summary: Mammalian mitochondrial ribosomal proteins are encoded

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Multiple transcript variants encoding two different isoforms were identified through sequence analysis. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC222134



Western blot validation of overexpression lysate (Cat# [LY405771]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC222134 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).