

## **Product datasheet for RC222167L3**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Glucocorticoid Receptor (NR3C1) (NM\_001018075) Human Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Glucocorticoid Receptor (NR3C1) (NM\_001018075) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Glucocorticoid Receptor

Synonyms: GCCR; GCR; GCRST; GR; GRL

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC222167).

Sgfl-Mlul

Sequence:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf 1 ORF Mlu 1

--- GCG ATC GCC ATG ---//--- NNN ACG CGT ---



st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001018075

ORF Size: 2331 bp



#### Glucocorticoid Receptor (NR3C1) (NM\_001018075) Human Tagged Lenti ORF Clone - RC222167L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001018075.1</u>

 RefSeq Size:
 6517 bp

 RefSeq ORF:
 2334 bp

 Locus ID:
 2908

 UniProt ID:
 P04150

Cytogenetics:

**Protein Families:** Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

**Protein Pathways:** Neuroactive ligand-receptor interaction

5q31.3

**MW:** 85.6 kDa

**Gene Summary:** This gene encodes glucocorticoid receptor, which can function both as a transcription factor

that binds to glucocorticoid response elements in the promoters of glucocorticoid responsive genes to activate their transcription, and as a regulator of other transcription factors. This receptor is typically found in the cytoplasm, but upon ligand binding, is transported into the nucleus. It is involved in inflammatory responses, cellular proliferation, and differentiation in


target tissues. Mutations in this gene are associated with generalized glucocorticoid

resistance. Alternative splicing of this gene results in transcript variants encoding either the same or different isoforms. Additional isoforms resulting from the use of alternate in-frame translation initiation sites have also been described, and shown to be functional, displaying diverse cytoplasm-to-nucleus trafficking patterns and distinct transcriptional activities

(PMID:15866175). [provided by RefSeq, Feb 2011]



# **Product images:**



Circular map for RC222167L3