

## Product datasheet for **RC222173**

### SEMA6D (NM\_153616) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	SEMA6D (NM_153616) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	SEMA6D
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

**ORF Nucleotide Sequence:**

>RC222173 representing NM\_153616  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGAGGGTCTTCTGCTTTGTGCCTACATACTGCTGCTGATGGTTTCCAGTTGAGGGCAGTCAGCTTTC  
 CTGAAGATGATGAACCCCTTAATACTGTGACTATCACTATTCAGGCAATATCCGGTTTTAGAGGACG  
 CCCTTCAGGCAATGAATCGCAGCACAGGCTGGACTTTCAGCTGATGTTGAAAATTCGAGACACACTTTAT  
 ATTGCTGGCAGGGATCAAGTTTATACAGTAAACTTAAATGAAATGCCAAAAACAGAAGTAATACCCAACA  
 AGAAACTGACATGGCGATCAAGACAACAGGATCGAGAAAACGTGCTATGAAAGGCAAGCATAAAGATGA  
 ATGCCACAACCTTATCAAAGTATTTGTTCCAAGAAACGATGAGATGGTTTTTGTGTGGTACCAATGCA  
 TTCAATCCCATGTGTAGATACTACAGTTGAGTACCTTAGAATATGATGGGAAGAAATAGTGGCCTGG  
 CAAGATGCCATTTGATGCCAGACAAACCAATGTTGCCCTTTTGTGCTGATGGGAAGCTGTATTCTGCCAC  
 AGTGGCTGACTTCTGGCCAGCGATGCCGTTATTTATCGAAGCATGGGTGATGGATCTGCCCTTCGCACA  
 ATAAAATATGATTCCAAATGGATAAAAGAGCCACACTTTCTTCATGCCATAGAATATGAAAACATATGCT  
 ATTTCTTCTTTCGAGAAATCGTGTGCGAACATAATAATTTAGGCAAGGCTGTGTATTTCCCGCTGGCCCG  
 CATATGTA AAAACGACATGGGTGGTTCCAGCGGGTCTGGAGAAACACTGGACTTCATTCTAAAGGCT  
 CGGCTGAACTGTTCTGTCCCTGGAGATTCGTTTTTCTACTTTGATGTTCTGCAGTCTATTACAGACATAA  
 TACAAATCAATGGCATCCCCACTGTGGTCGGGGTGTACCACGCAGCTCAATAGCATCCCTGGTTCTGC  
 TGTCTGTGCATTTAGCATGGATGACATTGAAAAAGTATCAAAGGACGGTTAAGGAACAGAAAACCTCA  
 GATTCTGTTTGGCAGCAGTCCCGAAGACAAAGTGCCAAAGCCAAGGCTGGCTGTTGTCAAAAACACG  
 GCCTTGCCGAAGCTTATAAAACCTCCATCGATTTCCCGGATGAAACTCTGTCATTCAATCAATCTCATCC  
 CCTGTGACTCTGCCGTTCCACCCATTGCCGATGAGCCCTGGTTCACAAAGACTCGGGTCAGGTACAGA  
 CTGACGGCCATCTCAGTGGACCATTAGCCGGACCCTACCAGAACTACACAGTCACTTTTGTGGCTCTG  
 AAGCTGGCATGGTACTTAAAGTTCTGGCAAAGACCAGTCTTTCTCTTTGAAACGACAGCGTATTACTGGA  
 AGAGATTGAAGCCTACAACCATGCAAAGTGCAGTGTGAGAATGAGGAAGACAAAAGGTCATCTCATT  
 CAGTTGGATAAAGATCACCACGCTTTATATGTGGCGTTCTCTAGCTGCATTATCCGCATCCCCCTCAGTC  
 GCTGTGAGCGTTATGGATCATGTA AAAAGTCTTGTATTGCATCTCGTACCCGATTGTGGCTGGTTAAG  
 CCAGGGATCCTGTGGTAGAGTGACCCAGGGATGCTTGTGAAGGATATGAACAAGACACAGAATTCGGC  
 AACACAGTCTCATAGGGGACTGCCATGGTGTACGATGGGAAGTCCAGTCTGGAGAGTCCAACCAGATGG  
 TCCACATGAATGTCTCATCACCTGTGTCTTTGCTGCTTTTGTGGGGCATTATTGCAGGTGTGGC  
 AGTATACTGCTATCGAGACATGTTTGTTCGAAAAACAGAAAGATCCATAAAGATGCAGAGTCCGCCCAG  
 TCATGCACAGACTCCAGTGGAAAGTTTTGCCAAACTGAATGGTCTCTTTGACAGCCCTGTCAAAGGAATACC  
 AACAGAAATATTGATTCTCCTAAACTGTATAGTAACCTGCTAACAGTCCGAAAGAGCTACCACCAATGG  
 AGATACTAAATCCATGGTAATGGACCATCGAGGGCAACCTCCAGAGTTGGCTGCTTCTCTACTCCTGAG  
 TCTACACCCGTGCTTACCAGAAGACCTGCAGGCCATGAAGAGCCACTCAGAAAAGGCCATGGCCATG  
 GAGCTTCAAGGAAAGAAACCCCTCAGTTTTTCCGCTCTAGTCCGCCACCTATTCCCCATTAAGTCATGG  
 GCATATCCCAGTGCCATTGTTCTTCCAATGCTACCCATGACTACAACACGCTTTTCTCAAACCTCAAT  
 GCTCACAAGAGTGAAAAGAAGCTTCAAACATTGATCACCTCTCACAAGTCAATCCAGTAAGAGAGATC  
 ACCGGCGTTCTGTTGATTCCAGAAATACCTCAATGATCTCCTGAAGCATCTGAATGACCCAAATAGTAA  
 CCCCAAAGCCATCATGGGAGACATCCAGATGGCACACCAGAACCTAATGCTGGATCCCATGGGATCGATG  
 TCTGAGGTCCCACCTAAAGTCCCTAACCGGGAGGCATCGCTATACTCCCCCTTCAACTCTCCCCAGAA  
 ATAGCCCAACCAAGCGAGTGGATGTCCCCACCCTCTGGAGTCCCAATGACTTCTCTGGAAGACAAAAG  
 AGGTTATCACAAAATTCCTCCCAGAGGCACTCTATATCTGCTATGCCTAAAAACTTAAACTCACCAAAT  
 GGTGTTTTGTTATCCAGACAGCCTAGTATGAACCGTGGAGGATATATGCCACCCCACTGGGGCGAAGG  
 TGGACTATATTCAGGGAACACCAGTGTGATGTTCTGTCAGCCTTCCCTCTCCAGACAGAGCAGCTACAC  
 CAGTAATGGCACTTCTCCTAGGACGGGACTAAAGAGGACGCCGTCTTAAACCTGACGTGCCACCAAGG  
 CCTTCTTTGTTCTCAAAACCCATCTGTGACACCCTGAACAAATACACATAC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC222173 representing NM\_153616  
 Red=Cloning site Green=Tags(s)


MRVFLLCAYILLMLMVSQLRVSPFEDDEPLNTVDYHYSRQYPVFRGRPSGNEHQHRLDFQLMLKIRDITLY  
 IAGRDQVYTVNLEMPKTEVIPNKKLTWRSRQQDRENCAMKGGKHKDECHNF IKVFVPRNDEMVFVCGTNA  
 FNPMPCRYRLSTLEYDGEEISGLARCPFDARQTNVALFADGKLYSATVADFLASDAVIYRSMGDGSALRT  
 IKYDSKWIKEPHFLHAIEYGNVYVFFREIAVEHNNLKGAVYSRVARICKNDMGGSQRVLEKHWTSFLKA  
 RLNCSVPGDSFFYFDVLQSIDIIQINGIPTVVGVFTTQLNSIPGSAVCAFMSDDIEKVFKGRFKEQKTP  
 DSVWTAVPEDKVPKPRPGCCAKHGLAEAYKTSIDFPDETSFIKSHPLMDSAVPPIADEPWFTKTRVRYR  
 LTAISVDHSAGPYQNYTVIFVSGEAGMVLKVLAKTSPFSLNDSVLLLEEIEAYNHAKCSAENEEDKKVISL  
 QLDKDHHLAYVAFSSCIIRIPLSRCERYGSKKSCIASRDPYCGWL SQGSCGRVTPGMLAEGYEQDTEFG  
 NTAHLGDCHGVRWEVQSGESNQMVHMNVLITCVFAAFVLGAFIAGVAVCYRDMFVRKNRKIHKDAESAQ  
 SCTDSSGSF AKL NGL FDSVPVKEYQQNIDSPKLYSNLLTSRKELPPNGDTKSMVMDHRGQPPELAALPTE  
 STPVLHQKTLQAMKSHSEKAHGHGASRKETPQFFPSSPPHSPLSHGHIPSAIVLPNATHDYNTSF SNSN  
 AHKAEKLLQNIDHPLTKSSKRDRHRSVDSRNTLNDLLKHLNDPNSNPKAIMGDIQMAHQNLMLDPMGSM  
 SEVPPKVPNREASLYSPPSTLPRNSPTKRVDVPTTPGVPMTSLEQRQGYHKNSSQRHSISAMPKNLNSPN  
 GVLLSRQPSMNRGGYMPPTGAKVDYIQGTPVSVHLQPSLSRQSSYTSNGTLPRTGLKRTPSLKPDPVPPK  
 PSFVPQTPSVRPLNKYTY

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



\* The last codon before the Stop codon of the ORF

**Plasmid Map:**


**ACCN:** NM\_153616

**ORF Size:** 2994 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_153616.2](#)

**RefSeq Size:** 5884 bp

**RefSeq ORF:** 2997 bp

**Locus ID:** 80031

**UniProt ID:** [Q8NFY4](#)

**Cytogenetics:** 15q21.1

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Axon guidance

**MW:** 109.2 kDa

**Gene Summary:** Semaphorins are a large family, including both secreted and membrane associated proteins, many of which have been implicated as inhibitors or chemorepellents in axon pathfinding, fasciculation and branching, and target selection. All semaphorins possess a semaphorin (Sema) domain and a PSI domain (found in plexins, semaphorins and integrins) in the N-terminal extracellular portion. Additional sequence motifs C-terminal to the semaphorin domain allow classification into distinct subfamilies. Results demonstrate that transmembrane semaphorins, like the secreted ones, can act as repulsive axon guidance cues. This gene encodes a class 6 vertebrate transmembrane semaphorin that demonstrates alternative splicing. Several transcript variants have been identified and expression of the distinct encoded isoforms is thought to be regulated in a tissue- and development-dependent manner. [provided by RefSeq, Nov 2010]