

Product datasheet for **RC222175**

Sonic Hedgehog (SHH) (NM_000193) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Sonic Hedgehog (SHH) (NM_000193) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Sonic Hedgehog
Synonyms:	HHG1; HLP3; HPE3; MCOPCB5; ShhNC; SMMCI; TPT; TPTPS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC222175 representing NM_000193
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGGGCGAGATGCTGCTGCTGGCGAGATGTCTGCTGCTAGTCCTCGTCTCCTCGTCTGGTATGCTCGG
 GACTGGCGTGCGGACCGGGCAGGGGTTTCGGGAAGAGGAGGCACCCAAAAAGCTGACCCCTTTAGCCTA
 CAAGCAGTTTATCCCAATGTGGCCGAGAAGACCTAGGCGCCAGCGGAAGGTATGAAGGGAAGATCTCC
 AGAAACTCCGAGCGATTTAAGGAACTCACCCCAATTACAACCCCGACATCATATTTAAGGATGAAGAAA
 ACACCGGAGCGGACAGGCTGATGACTCAGAGGTGTAAGGACAAGTTGAACGCTTTGGCCATCTCGGTGAT
 GAACCACTGGCCAGGAGTAACTGCGGGTGACCGAGGGCTGGGACGAAGATGGCCACCACTCAGAGGAG
 TCTCTGCACTACGAGGGCCGCGCAGTGGACATCACACGCTGACCGCGACCGCAGCAAGTACGGCATGC
 TGGCCCGCTGGCGGTGGAGCCGGCTTCGACTGGGTGACTACGAGTCCAAGGCACATATCCACTGCTC
 GGTGAAAGCAGAGAACTCGGTGGCGGCCAAATCGGGAGGCTGCTTCCCGGCTCGGCCACGGTGCACCTG
 GAGCAGGGCGGCCAACGCTGGTGAAGGACCTGAGCCCGGGGACCGCGTCTGGCGGGGACGACCAAGG
 GCCGGTCTCTACAGCGACTTCTCACTTTCCTGGACCGCGACGACGGCGCCAAGAAGGCTTCTACGT
 GATCGAGACGCGGGAGCCGCGCGAGCGCCTGCTGCTCACCGCCGCGCACCTGCTCTTTGTGGCGCCGAC
 AACGACTCGGCCACCGGGGAGCCCGAGGCGTCTCGGGCTCGGGGCCGCTTCCGGGGGCGCACTGGGGC
 CTCGGGCGCTGTTCCGACGCGCGTGGCCCGGGCCAGCGCGTGTACGTGGTGGCCGAGCGTGACGGGGA
 CCGCCGGCTCTGCCCGCGTGTGCACAGCGTACCCTAAGCGAGGAGGCCGCGGGCGCCTACGCGCCG
 CTCACGGCCAGGACCACTTCTCATCAACCGGTGCTGGCCTCGTGTACGCGGTATCGAGGAGCACA
 GCTGGGCGCACCGGGCCTTCGCGCCCTCCGCTGGCGCACGCGCTCCTGGCTGCACTGGCGCCCGCGG
 CACGGACCGCGGGGGACAGCGCGGGGACCGCGGGGCGCGCGGCGCAGAGTAGCCCTAACCGCT
 CCAGGTGCTGCCGACGCTCCGGGTGCGGGGCCACCGCGGCATCCACTGGTACTCGCAGCTGCTTACC
 AAATAGGCACCTGGCTCTGGACAGCGAGGCCCTGCACCCGCTGGGCATGGCGGTCAAGTCCAGC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC222175 representing NM_000193
 Red=Cloning site Green=Tags(s)

MGEMLLLARLLLVLVSSLLVCSGLACGPRGFGKRRHPKKLTPLAYKQFIPNVAEKTLAGSGRYEGKIS
 RNSERFKELTPNYNPDIIIFKDEENTGADRLMTQRCKDKLNALAI SVMNQWPGVKLRVTEGWDEDGHHSEE
 SLHYEGRAVDITTSRRDRSKYGLARLAVEAGFDWVYVESKAHIIHCSVKAENSVAAKSGGCFPGSATVHL
 EQGGTKLVKDLSPGDRVLAADDQGRLLYSDFLTFDRDDGAKKVFYVIETREPRERLLLTAHLLFVAPH
 NDSATGPEPEASSGPPSGGALGPRALFASRVPRGQRYVVAERDGRRLLPAAVHSVTLSEEAAGAYAP
 LTAQGTILINRVLASCYAVIEEHSWAHRAFAPFRLAHALLAALAPARTDRGGDSGGDRGGGGRRVALTA
 PGAADAPGAGATAGIHWYSQLLYQIGTWLLDSEALHPLGMAVKSS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6263_f11.zip

Restriction Sites:

SgfI-MluI

Cloning Scheme:


ACCN: NM_000193

ORF Size: 1395 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)


OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).


- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_000193.4
RefSeq Size:	1577 bp
RefSeq ORF:	1389 bp
Locus ID:	6469
UniProt ID:	Q15465
Cytogenetics:	7q36.3
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein, Transmembrane
Protein Pathways:	Basal cell carcinoma, Hedgehog signaling pathway, Pathways in cancer
MW:	49.6 kDa
Gene Summary:	<p>This gene encodes a protein that is instrumental in patterning the early embryo. It has been implicated as the key inductive signal in patterning of the ventral neural tube, the anterior-posterior limb axis, and the ventral somites. Of three human proteins showing sequence and functional similarity to the sonic hedgehog protein of <i>Drosophila</i>, this protein is the most similar. The protein is made as a precursor that is autocatalytically cleaved; the N-terminal portion is soluble and contains the signalling activity while the C-terminal portion is involved in precursor processing. More importantly, the C-terminal product covalently attaches a cholesterol moiety to the N-terminal product, restricting the N-terminal product to the cell surface and preventing it from freely diffusing throughout the developing embryo. Defects in this protein or in its signalling pathway are a cause of holoprosencephaly (HPE), a disorder in which the developing forebrain fails to correctly separate into right and left hemispheres. HPE is manifested by facial deformities. It is also thought that mutations in this gene or in its signalling pathway may be responsible for VACTERL syndrome, which is characterized by vertebral defects, anal atresia, tracheoesophageal fistula with esophageal atresia, radial and renal dysplasia, cardiac anomalies, and limb abnormalities. Additionally, mutations in a long range enhancer located approximately 1 megabase upstream of this gene disrupt limb patterning and can result in preaxial polydactyly. [provided by RefSeq, Jul 2008]</p>


Product images:




Circular map for RC222175



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY SHH (Cat# RC222175, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SHH(Cat# [TA500041]). Positive lysates [LY424868] (100ug) and [LC424868] (20ug) can be purchased separately from OriGene.



Western blot validation of overexpression lysate (Cat# [LY424868]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC222175 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified SHH protein (Cat# [TP322175]). The protein was produced from HEK293T cells transfected with SHH cDNA clone (Cat# RC222175) using MegaTran 2.0 (Cat# [TT210002]).