

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC222201L4V

## N acetyl transferase 5 (NAA20) (NM\_181527) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	N acetyl transferase 5 (NAA20) (NM_181527) Human Tagged ORF Clone Lentiviral Particle
Symbol:	NAA20
Synonyms:	dJ1002M8.1; NAT3; NAT3P; NAT5; NAT5P
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_181527
ORF Size:	498 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC222201).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 181527.3</u> , <u>NP 852668.1</u>
RefSeq Size:	1189 bp
RefSeq ORF:	501 bp
Locus ID:	51126
Cytogenetics:	20p11.23
Protein Pathways:	Glycerophospholipid metabolism, Limonene and pinene degradation, Phenylalanine metabolism, Tyrosine metabolism
MW:	18.9 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

N acetyl transferase 5 (NAA20) (NM_181527) Human Tagged ORF Clone Lentiviral Particle – RC222201L4V

Gene Summary:NAT5 is a component of N-acetyltransferase complex B (NatB). Human NatB performs<br/>cotranslational N(alpha)-terminal acetylation of methionine residues when they are followed<br/>by asparagine (Starheim et al., 2008 [PubMed 18570629]).[supplied by OMIM, Apr 2009]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US