

Product datasheet for RC222434L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CUG BP1 (CELF1) (NM 001025596) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: CUG BP1 (CELF1) (NM_001025596) Human Tagged ORF Clone Lentiviral Particle

Symbol: CUG BP1

Synonyms: BRUNOL2; CUG-BP; CUGBP1; EDEN-BP; hNab50; NAB50; NAPOR

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001025596

ORF Size: 1458 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC222434).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001025596.1</u>

 RefSeq Size:
 2024 bp

 RefSeq ORF:
 1461 bp

 Locus ID:
 10658

 UniProt ID:
 Q92879

 Cytogenetics:
 11p11.2

Protein Families: Druggable Genome

MW: 51.9 kDa





Gene Summary:

Members of the CELF/BRUNOL protein family contain two N-terminal RNA recognition motif (RRM) domains, one C-terminal RRM domain, and a divergent segment of 160-230 aa between the second and third RRM domains. Members of this protein family regulate premRNA alternative splicing and may also be involved in mRNA editing, and translation. This gene may play a role in myotonic dystrophy type 1 (DM1) via interactions with the dystrophia myotonica-protein kinase (DMPK) gene. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]