

Product datasheet for RC222453L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ADAM9 (NM_003816) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: ADAM9 (NM 003816) Human Tagged ORF Clone Lentiviral Particle

Symbol: ADAM9

Synonyms: CORD9; MCMP; MDC9; Mltng

Mammalian Cell

Selection:

None

2457 bp

Vector: pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 NM_003816

ORF Nucleotide

OTI Disclaimer:

Sequence:

ORF Size:

The ORF insert of this clone is exactly the same as(RC222453).

The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 003816.2</u>

RefSeq Size: 4111 bp
RefSeq ORF: 2460 bp
Locus ID: 8754
UniProt ID: Q13443
Cytogenetics: 8p11.22

Domains: Reprolysin, DISIN, Pep_M12B_propep, ACR

Protein Families: Druggable Genome, Protease, Secreted Protein, Transmembrane





ORIGENE

MW: 90.56 kDa

Gene Summary: This gene encodes a member of the ADAM (a disintegrin and metalloprotease domain)

family. Members of this family are membrane-anchored proteins structurally related to snake venom disintegrins, and have been implicated in a variety of biological processes involving cell-cell and cell-matrix interactions, including fertilization, muscle development, and neurogenesis. The protein encoded by this gene interacts with SH3 domain-containing proteins, binds mitotic arrest deficient 2 beta protein, and is also involved in TPA-induced ectodomain shedding of membrane-anchored heparin-binding EGF-like growth factor. Several alternatively spliced transcript variants have been identified for this gene. [provided

by RefSeq, Jul 2010]