

Product datasheet for RC222471L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

E2F3 (NM 001949) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: E2F3 (NM_001949) Human Tagged ORF Clone Lentiviral Particle

Symbol: E2F3 E2F-3 Synonyms:

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Myc-DDK Tag: NM 001949 ACCN:

1395 bp

ORF Nucleotide Sequence:

ORF Size:

The ORF insert of this clone is exactly the same as(RC222471).

The molecular sequence of this clone aligns with the gene accession number as a point of OTI Disclaimer: reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001949.2

RefSeq Size: 4744 bp RefSeq ORF: 1398 bp Locus ID: 1871 **UniProt ID:** O00716 Cytogenetics: 6p22.3 **Domains:** E2F TDP

Protein Families: Druggable Genome, Transcription Factors





E2F3 (NM_001949) Human Tagged ORF Clone Lentiviral Particle - RC222471L3V

Protein Pathways: Bladder cancer, Cell cycle, Chronic myeloid leukemia, Glioma, Melanoma, Non-small cell lung

cancer, Pancreatic cancer, Pathways in cancer, Prostate cancer, Small cell lung cancer

MW: 49 kDa

Gene Summary: This gene encodes a member of a small family of transcription factors that function through

binding of DP interaction partner proteins. The encoded protein recognizes a specific sequence motif in DNA and interacts directly with the retinoblastoma protein (pRB) to regulate the expression of genes involved in the cell cycle. Altered copy number and activity of this gene have been observed in a number of human cancers. There are pseudogenes for this gene on chromosomes 2 and 17. Alternative splicing results in multiple transcript

variants. [provided by RefSeq, Mar 2013]