

## Product datasheet for RC222558L4

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

### ADAM15 (NM\_207197) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** ADAM15 (NM\_207197) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: ADAM15

Synonyms: MDC15

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC222558).

Sequence:

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_207197

ORF Size: 2589 bp





### ADAM15 (NM\_207197) Human Tagged Lenti ORF Clone - RC222558L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 207197.2</u>

RefSeq Size:2999 bpRefSeq ORF:2592 bpLocus ID:8751

UniProt ID: Q13444

Cytogenetics: 1q21.3

**Protein Families:** Druggable Genome, Protease, Transmembrane

**MW:** 93 kDa

**Gene Summary:** The protein encoded by this gene is a member of the ADAM (a disintegrin and

metalloproteinase) protein family. ADAM family members are type I transmembrane

glycoproteins known to be involved in cell adhesion and proteolytic ectodomain processing of


cytokines and adhesion molecules. This protein contains multiple functional domains including a zinc-binding metalloprotease domain, a disintegrin-like domain, as well as a EGF-like domain. Through its disintegrin-like domain, this protein specifically interacts with the integrin beta chain, beta 3. It also interacts with Src family protein-tyrosine kinases in a phosphorylation-dependent manner, suggesting that this protein may function in cell-cell

adhesion as well as in cellular signaling. Multiple alternatively spliced transcript variants

encoding distinct isoforms have been observed. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC222558L4