

Product datasheet for **RC222651**

ATP6V0A4 (NM_130840) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ATP6V0A4 (NM_130840) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ATP6V0A4
Synonyms:	A4; ATP6N1B; ATP6N2; DRTA3; RDRTA2; RTA1C; RTADR; STV1; VPH1; VPP2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC222651 representing NM_130840
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGTGTCTGTGTTTCAAGCGAGGAGATGTGTTGTGCACAAGTGTTCCTCCAGGTGGAAGCTGCATATT
 GCTGTGTGGCTGAGCTCGGAGAGCTCGGATTGGTTCAGTTCAAAGATTTAAATATGAATGTGAACAGCTT
 TCAAAGGAAATTTGTGAATGAAGTCAGAAGGTGTGAATCACTGGAGAGAATCCTCCGTTTTCTGGAAGAC
 GAGATGCAAAATGAGATTGTAGTTCAGTTGCTCGAGAAAAGCCACTGACCCCGCTCCCACGGGAAATGA
 TTACCCTGGAGACTGTTCTAGAAAACTGGAAGGAGAGTTACAGGAAGCCAACCAGAACCAGCAGGCCTT
 GAAACAAAGCTTCTAGAACTGACAGAAGTAAATACCTCTGAAGAAAACCAAGACTTCTTTGAGACG
 GAAACCAATTTAGCTGATGATTTCTTTACTGAGGACACTTCTGGCCTCTGGAGTTGAAAGCAGTGCCTG
 CATATATGACCGAAAAGTTGGGGTTCATAGCCGGTGTGATCAACAGGGAGAGGATGGCTTCTTTGAGCG
 GTTACTGTGGCGAATCTGCCGAGGAAACGTGACTTGAAGTTCAGTGAGATGGACGCCCTCTGGAGGAT
 CCTGTGAGCAAAAGAATAATTCAGAAGAACATATTCATCATATTTTACCAAGGAGAGCAGCTCAGGCAGA
 AAATCAAGAAGATCTGTGATGGGTTTCGAGCCACTGTCTACCCTTGCCCAGAGCCTGCGGTGGAGCGCAG
 AGAGATGTTGGAGAGCGTCAATGTGAGGCTGGAAGATTTAATCACCGTCATAACACAAACAGAGTCTCAC
 CGCCAGCGCTGCTGCAGGAAGCCGCTGCCAAGTGGCACTCCTGGCTCATCAAGTGCAGAAGATGAAAAG
 CTGTCTACCACATCCTGAACATGTGCAACATCGACGTCACCCAGCAGTGTGTCATCGCCGAGATCTGGTT
 CCCGGTGGCAGATGCCACACGTATCAAGAGGGCACTGGAGCAAGGCATGGAACAAAGTGGCTCCTCCATG
 GCCCCATCATGACCACAGTGAATCTAAAACAGCCCTCCCACATTTAACAGGACCAATAAATTCACAG
 CTGGCTTCCAGAATATTGTTGATGCCTATGGTGTGGCAGCTACCGGGAGATAAACCCAGCCCTTACAC
 CATCATCACTTTCCCTTCTGTTGCTGTGATGTTGGAGACTGTGGTCATGGAACCGTATGCTCCTG
 GCTGCACTTTGGATGATTCTGAATGAGAGACGCTTGTCTCCCAGAAGACAGACAATGAGATTTGGAACA
 CCTTCTTCCACGGGCGCTATCTGATCTACTTATGGGCATCTTCTCCATCTACACGGGTTTGATCTACAA
 TGACTGCTTCTCAAGTCTTGAACATCTTTGGCTCTTCTGGAGTGTCCAACCCATGTTGAGAAACGGC
 ACATGGAATACTCATGTAATGGAGGAAAGTCTATATCTGCAGCTGGACCCAGCCATACCAGGAGTGTATT
 TTGAAATCCATACCCGTTTGGGATTGATCCGATTTGGAAGTGGCTTCAAACAAACTCACATTTCTGAA
 CTCGTATAAAATGAAGATGTCGGTATCCTGGGAATTGCCAGATGGTTTTCGGTGTCATCCTCAGCCTT
 TTCAATCACATATACTTCAAGAAGTCTCAACATCATTCTGCAATTTATCCCTGAGATGATTTTTATCC
 TGTGTCTGTTGGATACCTGGTTTTTCATGATCATTTTCAAATGGTGTGCTTTGACGTCCATGTATCTCA
 GCACGCCCCAGCATCCTCATCCACTTCATCAACATGTTTCTGTTAACTACAGTGAAGTCTTCAACGCA
 CCCCTCTACAAACATCAGCAAGAAGTCCAAAGTTTCTTTGTGGTTATGGCTTTGATTTCTGTGCCGTGGA
 TGCTTCTGATTAAGCCGTTTATTCTTAGAGCCAGTTCATCGGAAATCCCAGCTGCAGGCATCCAGGATCCA
 AGAAGATGCCACTGAGAACATGAAGGTGATAGCTCCAGCCCTTCTAGCCGTTCTGGCCAGAGGACTTCT
 GCAGATACCCACGGGGCTCTGGACGACCATGGAGAAGAGTTCAACTTTGGAGACGCTTTTGTCCACCAAG
 CCATCCACACCATCGAGTACTGCCTGGGCTGCATTTCAAACACAGCCTCCTACCTGCGGCTCTGGGCCCT
 CAGCCTGGCTCATGCACAAGTGTCTGAAGTGTCTGGACTATGGTGTGAAACAGCGGCCTTCAGACGCGA
 GGCTGGGAGGAATCGTCGGGGTTTTTATTATTTTTGCCGATTTGCTGTCTGACAGTAGCCATCCTTCT
 TGATCATGGAGGCTCTCTGCTTCTGCACGCCCTGCGACTGCACTGGGTTGAGTTCAGAAACAAGTT
 CTATGTCGGGGATGGTTACAAGTTTTCTCCATTCTCTTTAAACACATCCTGGATGGCACAGCCGAGGAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC222651 representing NM_130840
Red=Cloning site Green=Tags(s)

MVSVFRSEEMCLSQLFLQVEAAAYCCVAELGELGLVQFKDLNMNVNSFQRKFNVEVRRCESLERILRFLED
EMQNEIVVQLLEKSPLTPLPREMITLETVLEKLEGEQEANQNQQALKQSFELELTELKYLKKTQDFFET
ETNLADDFFTEDTSGLLELKAVPAYMTGKLGFIAGVINRERMASFERLLWRICRGNVYLKFSMDAPLED
PVTKEEIQKNIFIIFYQGEQLRQIKKICDGFRAIVYPCPEPAVERREMLESVNVRELDLITVITQTESH
RQRLLEAAANWHSWLKIVQKMKAVYHILNMCNIDVTQQCVIAEIWFPVADATRIKRALEQGMELSGSSM
APIMTTVQSKTAPPTFNRTNKFTAGFQNIVDAYGVGSYREINPAPYTIITFPFLFAVMFGDCGHGTVMML
AALWMILNERRLLSQKTDNEIWNTFFHGRYLILLMGIFSITYTGLIYNDCFSKSLNIFGSSWSVQPMFRNG
TWNTHVMEESLYQLDPAIPGVYFGNPYPFGIDPIWNLASNKLTFLNSYKMKMSVILGIVQMVFVILSL
FNHIYFRRTLNIILQFIPEMIFILCLFGYLVFMIIFKWCCFDVHVSQHAPSILIHFINMFLFNYSOSSNA
PLYKHQEQEVQSFVVMALISVPWMLLIKPFILRASHRKSQEQASRIQEDATENIEGSSSPSSRSGQRTS
ADTHGALDDHGEEFNFGDVFVHQAIHTIEYCLGCISNTASYLRLWALSLAHAQLSEVLWTMVMNSGLQTR
GWGGIVGVFIIFAVFAVLTVAILLIMEGLSAFLHALRLHWVEFQNKFYVGDGYKFSFSPFKHILDGTAAE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI

Cloning Scheme:


ACCN: NM_130840

ORF Size: 2520 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_130840.3](#)

RefSeq Size: 3049 bp

RefSeq ORF: 2523 bp

Locus ID: 50617

UniProt ID: [Q9HBG4](#)

Cytogenetics: 7q34


Protein Families: Transmembrane

Protein Pathways: Epithelial cell signaling in Helicobacter pylori infection, Lysosome, Metabolic pathways, Oxidative phosphorylation, Vibrio cholerae infection

MW: 96.4 kDa

Gene Summary: This gene encodes a component of vacuolar ATPase (V-ATPase), a multisubunit enzyme that mediates acidification of intracellular compartments of eukaryotic cells. V-ATPase dependent acidification is necessary for such intracellular processes as protein sorting, zymogen activation, receptor-mediated endocytosis, and synaptic vesicle proton gradient generation. V-ATPase is composed of a cytosolic V1 domain and a transmembrane V0 domain. The V1 domain consists of three A and three B subunits, two G subunits plus the C, D, E, F, and H subunits. The V1 domain contains the ATP catalytic site. The V0 domain consists of five different subunits: a, c, c', c'', and d. This gene is one of four genes in man and mouse that encode different isoforms of the a subunit. Alternatively spliced transcript variants encoding the same protein have been described. Mutations in this gene are associated with renal tubular acidosis associated with preserved hearing. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RC222651